

Appendix 1 - HEDIS® Measures Collected and Reported to NCQA

The HEDIS performance measure tables include select 2021 (MY 2020) results for each managed care plan (MCP). The tables also display MCP weighted averages compared to the NCQA Quality Compass Medicaid HMO benchmarks. Results of this comparison are made via a diamond rating system.

NCQA Quality Compass National Medicaid Percentile Ranges	Comparison to Benchmarks
The MCP Weighted Average is below the NCQA Quality Compass National Medicaid HMO Average.	♦
The MCP Weighted Average is equal to or exceeds the NCQA Quality Compass National Medicaid HMO Average, but does not meet the 75th Percentile.	♦♦
The MCP Weighted Average is equal to or exceeds the NCQA Quality Compass 75th Percentile for Medicaid HMO.	♦♦♦

Effectiveness of Care Domain

HEDIS Performance Measures	ABHWV+ %	THP %	UHP %	MCP Weighted Average %	Comparison to Benchmarks
Adherence to Antipsychotic Medications for Individuals with Schizophrenia	63.12	75.83	69.29	69.48	♦♦♦
Antidepressant Medication Management - Effective Acute Phase Treatment	51.18	65.94	58.94	58.11	♦♦
Antidepressant Medication Management - Effective Continuation Phase Treatment	36.03	53.15	43.66	43.53	♦♦
Appropriate Testing for Pharyngitis - Total (3-65+ Yrs)	73.35	70.65	71.53	71.97	♦
Appropriate Treatment for Upper Respiratory Infection - Total (3 Mos - 65+ Yrs)	78.82	79.29	76.21	77.74	♦
Asthma Medication Ratio - Total (5-64 Yrs)	63.96	57.51	65.01	62.83	♦
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis - Total (3 Mos - 65+ Yrs)	40.86	39.08	39.42	39.83	♦

HEDIS Performance Measures	ABHWV+ %	THP %	UHP %	MCP Weighted Average %	Comparison to Benchmarks
Breast Cancer Screening	45.05	46.48	47.71	46.44	♦
Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia	66.67	73.68	69.77	70.59	♦
Cardiac Rehabilitation - Initiation - Total (18-65+ Yrs)*	2.51	2.48	2.23	2.40	NC
Cardiac Rehabilitation - Engagement 1 Total (18-65+ Yrs)*	3.86	2.48	3.26	3.22	NC
Cardiac Rehabilitation - Engagement 2 Total (18-65+ Yrs)*	2.51	1.45	2.40	2.15	NC
Cardiac Rehabilitation - Achievement Total (18-65+ Yrs)*	1.16	0.62	0.51	0.76	NC
Cervical Cancer Screening	53.04	40.15	53.28	49.72	♦
Childhood Immunization Status - Combination 2	74.94	71.53	76.64	74.84	♦ ♦
Childhood Immunization Status - Combination 3	71.05	67.64	74.70	71.76	♦ ♦
Childhood Immunization Status - Combination 4	70.56	67.64	73.97	71.28	♦ ♦
Childhood Immunization Status - Combination 5	64.23	57.91	70.56	65.36	♦ ♦ ♦
Childhood Immunization Status - Combination 6	36.50	36.98	41.61	38.71	♦
Childhood Immunization Status - Combination 7	63.99	57.91	69.83	64.97	♦ ♦ ♦
Childhood Immunization Status - Combination 8	36.50	36.98	41.61	38.71	♦
Childhood Immunization Status - Combination 9	34.06	33.09	39.66	36.13	♦
Childhood Immunization Status - Combination 10	34.06	33.09	39.66	36.13	♦
Childhood Immunization Status - DTaP	77.62	73.48	78.83	77.15	♦ ♦
Childhood Immunization Status - Hepatitis A	88.56	88.08	89.54	88.85	♦ ♦ ♦
Childhood Immunization Status - Hepatitis B	93.19	91.73	93.67	93.05	♦ ♦ ♦
Childhood Immunization Status - HiB	88.56	88.32	90.27	89.21	♦ ♦
Childhood Immunization Status - Influenza	42.58	44.53	46.23	44.53	♦
Childhood Immunization Status - IPV	91.97	87.83	90.75	90.51	♦ ♦
Childhood Immunization Status - MMR	89.05	87.35	89.05	88.65	♦ ♦
Childhood Immunization Status - Pneumococcal Conjugate	77.37	73.97	81.75	78.38	♦ ♦
Childhood Immunization Status - Rotavirus	77.62	70.07	82.24	77.76	♦ ♦ ♦
Childhood Immunization Status - VZV	88.32	87.59	87.59	87.85	♦ ♦

HEDIS Performance Measures	ABHWV+ %	THP %	UHP %	MCP Weighted Average %	Comparison to Benchmarks
Chlamydia Screening in Women - Total (16-24 Yrs)	47.95	42.15	44.22	44.95	♦
Comprehensive Diabetes Care - Blood Pressure Control (<140/90)	66.18	54.50	62.77	61.68	♦ ♦
Comprehensive Diabetes Care - Eye Exams	33.33	36.74	36.25	35.38	♦
Comprehensive Diabetes Care - HbA1c Testing	85.89	83.70	87.10	85.76	♦ ♦
Comprehensive Diabetes Care - HbA1c Control (<8%)	47.69	47.69	43.07	45.91	♦ ♦
Comprehensive Diabetes Care - Poor HbA1c Control (>9.0%) <i>Lower rate is better</i>	41.61	41.36	47.20	43.69	♦ ♦
Controlling High Blood Pressure	62.04	56.20	61.56	60.32	♦ ♦
Diabetes Monitoring for People with Diabetes and Schizophrenia	66.67	68.14	69.91	68.35	♦ ♦
Diabetes Screening for People with Schizophrenia or Bipolar Disorder who are Using Antipsychotic Medications	79.80	72.98	78.32	77.12	♦ ♦
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence - 7-Day Follow-Up - Total (13-18+ Yrs)	38.63	41.62	40.47	40.23	♦ ♦ ♦
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence - 30-Day Follow-Up - Total (13-18+ Yrs)	47.18	50.28	48.69	48.69	♦ ♦ ♦
Follow-Up After Emergency Department Visit for Mental Illness - 7-Day Follow-Up - Total (6-65+ Yrs)	34.88	34.19	32.61	33.85	♦
Follow-Up After Emergency Department Visit for Mental Illness - 30-Day Follow-Up - Total (6-65+ Yrs)	52.00	48.50	50.08	50.35	♦
Follow-Up After High-Intensity Care for Substance Use Disorder - 7-Day Follow-Up - Total (13-65+ Yrs)*	30.58	31.90	28.84	11.09	♦
Follow-Up After High-Intensity Care for Substance Use Disorder - 30-Day Follow-Up - Total (13-65+ Yrs)*	55.34	53.39	49.38	52.96	♦ ♦
Follow-Up After Hospitalization For Mental Illness - 7-Day Follow-Up - Total (6-65+ Yrs)	41.93	36.61	35.70	38.27	♦
Follow-Up After Hospitalization For Mental Illness - 30-Day Follow-Up - Total (6-65+ Yrs)	65.71	59.98	62.41	63.03	♦ ♦

HEDIS Performance Measures	ABHWV ⁺ %	THP %	UHP %	MCP Weighted Average %	Comparison to Benchmarks
Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase	56.79	53.28	48.61	52.45	◆◆◆
Follow-Up Care for Children Prescribed ADHD Medication - Continuation & Maintenance Phase	64.46	60.54	58.62	61.12	◆◆
Immunizations for Adolescents - Combination 1	85.89	82.24	86.62	85.54	◆◆
Immunizations for Adolescents - Combination 2	30.90	27.25	29.93	29.71	◆
Immunizations for Adolescents - HPV	31.39	27.49	30.41	30.15	◆
Immunizations for Adolescents - Meningococcal	85.89	83.21	87.10	85.96	◆◆
Immunizations for Adolescents - Tdap/Td	88.08	83.94	88.32	87.39	◆◆
Kidney Health Evaluation for Patients With Diabetes - Total (18-85 Yrs)*	23.41	19.93	23.70	22.57	NC
Lead Screening in Children	58.64	53.08	58.39	57.24	◆
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose Testing - Total (1-17 Yrs)	75.08	64.08	74.39	71.32	◆◆◆
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Cholesterol Testing - Total (1-17 Yrs)	63.93	57.47	65.26	62.43	◆◆◆
Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose and Cholesterol Testing - Total (1-17 Yrs)	63.28	53.74	64.59	60.80	◆◆◆
Non-Recommended Cervical Cancer Screening in Adolescent Females <i>Lower rate is better</i>	1.95	0.67	1.59	1.50	◆
Persistence of Beta-Blocker Treatment after a Heart Attack	85.50	93.02	88.31	88.89	◆◆◆
Pharmacotherapy for Opioid Use Disorder - Total (16-65+ Yrs)	26.89	35.29	30.31	30.55	◆◆
Pharmacotherapy Management of COPD Exacerbation - Bronchodilator	84.45	88.11	84.62	85.68	◆◆
Pharmacotherapy Management of COPD Exacerbation - Systemic Corticosteroid	82.48	84.46	71.71	79.35	◆◆◆

HEDIS Performance Measures	ABHWV+ %	THP %	UHP %	MCP Weighted Average %	Comparison to Benchmarks
Risk of Continued Opioid Use >= 15 Days (Total) <i>Lower rate is better</i>	7.05	10.24	8.62	8.50	♦
Risk of Continued Opioid Use >= 31 Days (Total) <i>Lower rate is better</i>	3.76	4.98	4.32	4.29	♦
Statin Therapy for Patients With Cardiovascular Disease - Received Statin Therapy (21-75 Yrs Male)	83.90	80.99	81.26	82.04	♦ ♦
Statin Therapy for Patients With Cardiovascular Disease - Received Statin Therapy (40-75 Yrs Female)	81.28	81.18	80.25	80.84	♦ ♦
Statin Therapy for Patients With Cardiovascular Disease - Received Statin Therapy (Total)	82.64	81.08	80.74	81.45	♦ ♦
Statin Therapy for Patients With Cardiovascular Disease - Statin Adherence 80% (21-75 Yrs Male)	70.25	81.18	74.05	74.95	♦ ♦
Statin Therapy for Patients With Cardiovascular Disease - Statin Adherence 80% (40-75 Yrs Female)	69.08	81.50	72.63	74.07	♦ ♦
Statin Therapy for Patients With Cardiovascular Disease - Statin Adherence 80% (Total)	69.70	81.33	73.33	74.52	♦ ♦
Statin Therapy for Patients With Diabetes - Received Statin Therapy	65.63	66.18	67.14	66.37	♦ ♦
Statin Therapy for Patients With Diabetes - Statin Adherence 80%	66.68	79.12	71.95	72.20	♦ ♦
Use of Imaging Studies for Low Back Pain	66.38	65.54	69.27	67.39	♦
Use of Opioids at High Dosage (HDO) <i>Lower rate is better</i>	1.13	1.51	1.86	1.51	♦ ♦ ♦
Use of Opioids From Multiple Providers - Multiple Pharmacies <i>Lower rate is better</i>	2.47	1.72	1.01	1.70	♦ ♦ ♦
Use of Opioids From Multiple Providers - Multiple Prescribers <i>Lower rate is better</i>	10.57	10.20	11.11	10.67	♦ ♦ ♦
Use of Opioids From Multiple Providers - Multiple Prescribers and Multiple Pharmacies	1.24	1.05	0.52	0.91	♦ ♦ ♦

HEDIS Performance Measures	ABHWV ⁺ %	THP %	UHP %	MCP Weighted Average %	Comparison to Benchmarks
<i>Lower rate is better</i>					
Use of Spirometry Testing in the Assessment and Diagnosis of COPD	22.27	24.81	22.16	22.92	♦
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - BMI Percentile - Total (2-17 Yrs)	80.78	80.54	86.13	83.13	♦ ♦ ♦
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Nutrition - Total (2-17 Yrs)	72.26	69.34	72.99	72.02	♦ ♦
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Physical Activity - Total (2-17 Yrs)	71.29	61.31	72.26	69.78	♦ ♦
+ ABHWV's HEDIS measure rates reflect performance in all Medicaid populations (MHT and MHP) per NCQA reporting requirements. * New Measure introduced in MY 2020 NC - No Comparison (no benchmark available) NR - Not Reported					

Access and Availability Domain

HEDIS Performance Measures	ABHWV+ %	THP %	UHP %	MCP Weighted Average %	Comparison to Benchmarks
Adults' Access to Preventive/ Ambulatory Health Services - Total (20-65+ Yrs)	78.83	77.13	79.39	78.58	◆ ◆
Annual Dental Visit (2-3 Yrs)	38.32	30.77	33.84	34.70	◆ ◆
Annual Dental Visit - Total (2-20 Yrs)	56.82	50.02	53.95	54.08	◆ ◆ ◆
Initiation & Engagement of Alcohol & Other Drug Abuse or Dependence Treatment - Initiation of AOD - Alcohol Abuse or Dependence - Total (13-18+ Yrs)	42.35	41.08	54.08	46.30	◆ ◆
Initiation & Engagement of Alcohol & Other Drug Abuse or Dependence Treatment - Initiation of AOD - Opioid Abuse or Dependence - Total (13-18+ Yrs)	69.78	74.43	75.37	73.08	◆ ◆ ◆
Initiation & Engagement of Alcohol & Other Drug Abuse or Dependence Treatment – Initiation of AOD – Other Drug Abuse or Dependence - Total (13-18+ Yrs)	44.73	44.36	52.5	47.47	◆ ◆ ◆
Initiation & Engagement of Alcohol & Other Drug Abuse or Dependence Treatment - Initiation of AOD - Total (13-18+ Yrs)	52.54	54.43	60.59	55.99	◆ ◆ ◆
Initiation & Engagement of Alcohol & Other Drug Abuse or Dependence Treatment - Engagement of AOD - Alcohol Abuse or Dependence - Total (13-18+ Yrs)	14.48	15.63	15.5	15.18	◆ ◆ ◆
Initiation & Engagement of Alcohol & Other Drug Abuse or Dependence Treatment - Engagement of AOD - Opioid Abuse or Dependence - Total (13-18+ Yrs)	51.75	53.1	54.33	53.04	◆ ◆ ◆
Initiation & Engagement of Alcohol & Other Drug Abuse or Dependence Treatment - Engagement of AOD - Other Drug Abuse or Dependence - Total (13-18+ Yrs)	16.56	19.05	19.23	18.22	◆ ◆ ◆
Initiation & Engagement of Alcohol & Other Drug Abuse or Dependence Treatment - Engagement of AOD - Total (13-18+ Yrs)	29.23	30.28	30.53	30.00	◆ ◆ ◆

HEDIS Performance Measures	ABHWV ⁺ %	THP %	UHP %	MCP Weighted Average %	Comparison to Benchmarks
Prenatal and Postpartum Care - Timeliness of Prenatal Care	91.00	83.94	87.83	87.98	◆ ◆
Prenatal and Postpartum Care - Postpartum Care	77.62	69.59	75.91	74.98	◆
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics - Total (1-17 Yrs)	58.91	47.69	41.72	44.37	◆
+ ABHWV's HEDIS measure rates reflect performance in all Medicaid populations (MHT and MHP) per NCQA reporting requirements. * New Measure introduced in MY 2020 NC - No Comparison (no benchmark available) NR - Not Reported					

Utilization Domain

HEDIS Performance Measures	ABHWV ⁺ %	THP %	UHP %	MCP Weighted Average %	Comparison to Benchmarks
Child and Adolescent Well-Care Visits (3-11 Yrs)*	56.72	51.54	51.49	53.34	◆ ◆
Child and Adolescent Well-Care Visits (12-17 Yrs)*	49.68	41.55	42.35	44.54	◆
Child and Adolescent Well-Care Visits (18-21 Yrs)*	27.23	24.1	20.87	23.61	◆
Child and Adolescent Well-Care Visits Total (3-21 Yrs)*	50.89	44.42	44.27	46.53	◆ ◆
Well-Child Visits in the First 30 Months of Life (First 15 Months)*	57.5	57.05	41.13	50.61	◆
Well-Child Visits in the First 30 Months of Life (15-30 Months)*	74.22	71.47	73.49	73.27	◆ ◆
+ ABHWV's HEDIS measure rates reflect performance in all Medicaid populations (MHT and MHP) per NCQA reporting requirements. * New Measure introduced in MY 2020					