



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**  
This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

- Prior authorization for a non-preferred agent in any category will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Prior Authorization Criteria that applies among multiple sub-categories will be listed directly under the main category's name. PA Criteria specific to a sub-category will be listed in the sub-category.
- Quantity limits may apply. Refer to the Limits List on [the BMS Website](#) by clicking the hyperlink.
- Acronyms
  - CL - Requires clinical PA. For detailed clinical criteria, please go to the [PA criteria](#) page by clicking the hyperlink.
  - NR - New drug has not been reviewed by P & T Committee
  - AP - Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID**

**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>CLASSES CHANGING</b>	<b>Status Changes</b>	<b>PA Criteria Changes</b>	<b>New Drugs</b>
<b>ANALGESICS, NARCOTIC LONG ACTING</b>			<b>XXXX</b>
<b>ANDROGENIC AGENTS</b>			<b>XXXX</b>
<b>ANGIOTENSIN MODULATORS, ACE INHIBITORS</b>		<b>XXXX</b>	<b>XXXX</b>
<b>ANGIOTENSIN MODULATORS, ARB COMBINATIONS</b>	<b>XXXX</b>		<b>XXXX</b>
<b>ANTIBIOTICS, GI</b>	<b>XXXX</b>		
<b>ANTIBIOTICS, VAGINAL</b>	<b>XXXX</b>		
<b>ANTICONVULSANTS</b>	<b>XXXX</b>		<b>XXXX</b>
<b>ANTIHYPERURICEMICS, ANTIMIOTICS</b>	<b>XXXX</b>		
<b>ANTIMIGRAINE AGENTS, TRIPTANS</b>	<b>XXXX</b>		<b>XXXX</b>
<b>ANTIPARASITICS, TOPICAL</b>	<b>XXXX</b>		
<b>ANTIPSYCHOTICS, ATYPICAL</b>	<b>XXXX</b>	<b>XXXX</b>	<b>XXXX</b>
<b>ANTIRETROVIRALS, COMBINATION PRODUCTS – NUCLEOSIDE &amp; NUCLEOTIDE ANALOGS &amp; NON- NUCLEOSIDE RTIs</b>		<b>XXXX</b>	
<b>COLONY STIMULATING FACTORS</b>	<b>XXXX</b>		
<b>COPD AGENTS, ANTICHOLINERGIC-BETA AGONIST COMB.</b>	<b>XXXX</b>		<b>XXXX</b>
<b>CYTOKINE &amp; CAM ANTAGONISTS, OTHERS</b>			<b>XXXX</b>
<b>EPINEPHRINE, SELF-INJECTED</b>	<b>XXXX</b>		
<b>GLUCOCORTICIODS, INHALED, GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS</b>	<b>XXXX</b>		
<b>HEPATITIS B TREATMENTS</b>	<b>XXXX</b>		
<b>HEPATITIS C TREATMENTS</b>	<b>XXXX</b>		<b>XXXX</b>
<b>HYPERPARATHYROID AGENTS</b>	<b>XXXX</b>		
<b>HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS</b>		<b>XXXX</b>	<b>XXXX</b>
<b>HYPOGLYCEMICS, MEGLITINIDES</b>		<b>XXXX</b>	
<b>HYPOGLYCEMICS, SGLT2 INHIBITORS</b>		<b>XXXX</b>	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>HYPOGLYCEMICS, TZD</b>		<b>XXXX</b>	
<b>IMMUNOSUPPRESSIVES, ORAL</b>	<b>XXXX</b>		
<b>INTRANASAL RHINITIS AGENTS</b>	<b>XXXX</b>		
<b>LEUKOTRIENE MODIFIERS</b>	<b>XXXX</b>		
<b>LIPOTROPICS, STATINS</b>	<b>XXXX</b>		<b>XXXX</b>
<b>LIPOTROPICS, OTHER (NON-STATINS), FIBRIC ACID DERIVATIVES</b>	<b>XXXX</b>		
<b>MULTIPLE SCLEROSIS AGENTS, NON-INTERFERONS</b>			<b>XXXX</b>
<b>NEUROPATHIC PAIN</b>	<b>XXXX</b>		
<b>OPHTHALMIC ANTIBIOTICS</b>	<b>XXXX</b>	<b>XXXX</b>	
<b>OPHTHALMIC ANTIBIOTIC/STEROID COMBINATIONS</b>	<b>XXXX</b>		
<b>OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS</b>	<b>XXXX</b>		
<b>OPHTHALMICS, ANTI-INFLAMMATORIES-IMMUNOMODULATORS</b>		<b>XXXX</b>	<b>XXXX</b>
<b>OPHTHALMICS, ANTI-INFLAMMATORIES</b>	<b>XXXX</b>		
<b>OPHTHALMICS, GLAUCOMA AGENTS – BETA BLOCKERS</b>	<b>XXXX</b>		
<b>OTIC ANTIBIOTICS</b>			<b>XXXX</b>
<b>STEROIDS, TOPICAL – VERY HIGH &amp; HIGH POTENCY</b>			<b>XXXX</b>
<b>STIMULANTS AND RELATED AGENTS, AMPHETAMINES</b>	<b>XXXX</b>		<b>XXXX</b>
<b>STIMULANTS AND RELATED AGENTS, NON-AMPHETAMINE</b>	<b>XXXX</b>		
<b>ULCERATIVE COLITIS AGENTS, RECTAL</b>	<b>XXXX</b>		
<b>VASODILATORS, CORONARY</b>	<b>XXXX</b>		



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ACNE AGENTS, TOPICAL<sup>AP</sup></b>		
<p><b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials each of one (1) preferred retinoid and two (2) unique chemical entities in two (2) other subclasses, including the generic version of the requested non-preferred product, are required before the non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p> <p>In cases of pregnancy, a trial of retinoids will <i>not</i> be required. For Members eighteen (18) years of age or older, a trial of retinoids will <i>not</i> be required. Acne kits are non-preferred.</p> <p>Specific Criteria for sub-categories will be listed below.</p>		
<b>ANTI-INFECTIVE</b>		
clindamycin gel, lotion, medicated swab, solution erythromycin gel, solution	ACZONE (dapson) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide cleanser ER sulfacetamide shampoo sulfacetamide suspension	
<b>RETINOIDS</b>		
RETIN-A (tretinoin) TAZORAC (tazarotene)	adapalene ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A MICRO (tretinoin) tretinoin cream, gel tretinoin gel micro	<b>In addition to the Category Criteria:</b> PA required for members eighteen (18) years of age or older for Retinoids sub-class.
<b>KERATOLYTICS</b>		
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC	BENZEFOAM ULTRA (benzoyl peroxide) BENZEPRO (benzoyl peroxide) benzoyl peroxide cloths, medicated pads, microspheres cleanser	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID**

**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
	BP 10-1 (benzoyl peroxide) BP WASH 7% LIQUID PACNEX/HP/LP (benzoyl peroxide) PANOXYL-4, -8 OTC (benzoyl peroxide) PERSA-GEL OTC (benzoyl peroxide) SULPHO-LAC (sulfur)	
<b>COMBINATION AGENTS</b>		
erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide) AVAR/-E/LS (sulfur/sulfacetamide) BENZACLIN GEL (benzoyl peroxide/clindamycin) BENZAMYCIN PAK (benzoyl peroxide/erythromycin) benzoyl peroxide/clindamycin gel benzoyl peroxide/urea CERISA (sulfacetamide sodium/sulfur) CLARIFOAM EF (sulfacetamide/sulfur) CLENIA (sulfacetamide sodium/sulfur) DUAC (benzoyl peroxide/clindamycin) EPIDUO (adapalene/benzoyl peroxide)* INOVA 4/1, 5/2 (benzoyl peroxide/salicylic acid) NEUAC (clindamycin phosphate/benzoyl peroxide) NUOX (benzoyl peroxide/sulfur) ONEXTON (clindamycin phosphate/benzoyl peroxide) PRASCION (sulfacetamide sodium/sulfur) SE 10-5 SS (sulfacetamide/sulfur) SSS 10-4 (sulfacetamide /sulfur) SSS 10-5 foam (sulfacetamide /sulfur) sulfacetamide sodium/sulfur cloths, lotion, pads, suspension sulfacetamide/sulfur wash/cleanser sulfacetamide/sulfur wash kit sulfacetamide sodium/sulfur/ urea SUMADAN/XLT (sulfacetamide/sulfur) SUMAXIN/TS (sulfacetamide sodium/sulfur) VELTIN (clindamycin/tretinoin)* ZIANA (clindamycin/tretinoin)*	<p><b>In addition to the Category PA:</b> Thirty (30) day trials of combinations of the corresponding preferred single agents available are required before non-preferred combination agents will be authorized.</p> <p>*PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.</p>



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ALZHEIMER'S AGENTS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
Prior authorization is required for members up to forty-five (45) years of age if there is no diagnosis of Alzheimer's disease		
<b>CHOLINESTERASE INHIBITORS</b>		
donepezil 5 and 10 mg	ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	*Donepezil 23 mg tablets will be authorized if the following criteria are met: 1. There is a diagnosis of moderate-to-severe Alzheimer's Disease <b>and</b> 2. There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for an additional one (1) month.
<b>NMDA RECEPTOR ANTAGONIST</b>		
memantine	NAMENDA (memantine) NAMENDA XR (memantine)*	*Namenda XR requires ninety (90) days of compliant therapy with Namenda.
<b>CHOLINESTERASE INHIBITOR/NMDA RECEPTOR ANTAGONIST COMBINATIONS</b>		
NAMZARIC (donepezil/memantine)		
<b>ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral)<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Six (6) day trials of two (2) chemically distinct preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PDL form is present. In addition, a six (6) day trial of the generic form of the requested non-preferred agent, if available, is required before the non-preferred agent will be authorized. If no generic form is available for the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead.		
BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr morphine ER tablets	BELBUCA (buprenorphine buccal film)* CONZIP ER (tramadol) DOLOPHINE (methadone) DURAGESIC (fentanyl) EXALGO ER (hydromorphone) fentanyl transdermal 37.5, 62.5, 87.5 mcg/hr hydromorphone ER HYSINGLA ER (hydrocodone) KADIAN (morphine) LAZANDA SPRAY (fentanyl) methadone** morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone)	*Belbuca prior authorization requires manual review. Full PA criteria may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.  **Methadone, oxycodone ER and oxymorphone ER will be authorized without a trial of the preferred agents if a diagnosis of cancer is submitted.  ***Tramadol ER requires a manual review and may be authorized for ninety (90) days with submission of a detailed treatment plan including anticipated duration of treatment and scheduled follow-ups with the prescriber.



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	oxycodone ER** OXYCONTIN (oxycodone) oxymorphone ER** tramadol ER*** ULTRAM ER (tramadol) XARTEMIS XR (oxycodone/ acetaminophen) <b>XTAMPZA ER (oxycodone)</b> ZOHYDRO ER (hydrocodone)	
<b>ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral)<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Six (6) day trials each of at least four (4) chemically distinct preferred agents (based on narcotic ingredient only), including the generic formulation of the requested non-preferred agent, are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
APAP/codeine butalbital/APAP/caffeine/codeine codeine hydrocodone/APAP 2.5/325 mg, 5/325 mg, 7.5/325 mg, 10/325 mg hydrocodone/APAP solution hydrocodone/ibuprofen hydromorphone tablets morphine oxycodone tablets, concentrate, solution oxycodone/APAP oxycodone/ASA pentazocine/naloxone ROXICET SOLUTION (oxycodone/ acetaminophen) tramadol tramadol/APAP	ABSTRAL (fentanyl) ACTIQ (fentanyl) butalbital/ASA/caffeine/codeine butorphanol CAPITAL W/CODEINE (APAP/codeine) DEMEROL (meperidine) dihydrocodeine/ APAP/caffeine DILAUDID (hydromorphone) fentanyl FENTORA (fentanyl) FIORICET W/ CODEINE (butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE (butalbital/ASA/caffeine/codeine) hydrocodone/APAP 5/300 mg, 7.5/300 mg, 10/300 mg hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen) LAZANDA (fentanyl) levorphanol LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) meperidine NORCO (hydrocodone/APAP) NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone) oxycodone capsules oxycodone/ibuprofen	Fentanyl buccal, nasal and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to a long-acting agent. These dosage forms will not be authorized for monotherapy.  <b>Limits:</b> Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids, all short acting solid forms of the narcotic analgesics are limited to 120 tablets per thirty (30) days for the purpose of maximizing the use of longer acting medications to prevent unnecessary breakthrough pain in chronic pain therapy. Immediate-release tramadol is limited to 240 tablets per thirty (30) days.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	oxymorphone PERCOCET (oxycodone/APAP) PRIMLEV (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VEDROCET (hydrocodone/APAP) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/acetaminophen) XYLON (hydrocodone/ibuprofen) ZAMICET (hydrocodone/APAP)	
<b>ANDROGENIC AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> A non-preferred agent will only be authorized if one (1) of the exceptions on the PA form is present.		
ANDRODERM (testosterone) ANDROGEL (testosterone) <b>METHITEST (methyltestosterone)</b>	<b>ANDROID (methyltestosterone)</b> AXIRON (testosterone) FORTESTA (testosterone) <b>methyltestosterone capsule</b> NATESTO (testosterone) TESTIM (testosterone) <b>TESTRED (methyltestosterone)</b> testosterone gel VOGELXO (testosterone)	
<b>ANESTHETICS, TOPICAL<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Ten (10) day trials of each of the preferred topical anesthetics are required before a non-preferred topical anesthetic will be authorized unless one (1) of the exceptions on the PA form is present		
lidocaine lidocaine/prilocaine xylocaine	EMLA (lidocaine/prilocaine) LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone SYNERA (lidocaine/tetracaine) VOPAC MDS (ketoprofen/lidocaine) <sup>NR</sup>	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ANGIOTENSIN MODULATORS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Fourteen (14) day trials of each of the preferred agents in the corresponding group, with the exception of the Direct Renin Inhibitors, are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>ACE INHIBITORS</b>		
benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) EPANED (enalapril)* LOTENSIN (benazepril) MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) <b>QBRELIS SOLUTION (lisinopril)**</b> trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age <b>OR</b> is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia.  <b>**Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.</b>
<b>ACE INHIBITOR COMBINATION DRUGS</b>		
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ PRESTALIA (perindopril/amlodipine) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	
<b>ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs)</b>		
irbesartan losartan valsartan <b>olmesartan</b>	ATACAND (candesartan) AVAPRO (irbesartan) <b>BENICAR (olmesartan)</b> candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan <b>MICARDIS (telmisartan)</b> telmisartan TEVETEN (eprosartan)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ARB COMBINATIONS</b>		
<b>ENTRESTO (valsartan/sucubitril)*</b> irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/amlodipine/HCTZ olmesartan/HCTZ valsartan/amlodipine valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) BYVALSON (nebivolol/valsartan) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) telmisartan/amlodipine telmisartan HCTZ TEVETEN-HCT (eprosartan/HCTZ) TRIBENZOR (olmesartan/amlodipine/HCTZ) TWYNSTA (telmisartan/amlodipine) valsartan/amlodipine/HCTZ	*Entresto will only be authorized for patients diagnosed with heart-failure NYHA classification 2-4 with an EF < 40%. No preferred drug trial is required to receive authorization
<b>DIRECT RENIN INHIBITORS</b>		
	AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	<b>Substitute for Category Criteria:</b> A thirty (30) day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, is required before Tekturna will be authorized unless one (1) of the exceptions on the PA form is present.  Amturnide, Tekamlo, Tekturna HCT or Valturna will be authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.
<b>ANTIANGINAL &amp; ANTI-ISCHEMIC</b>		
<b>CATEGORY PA CRITERIA:</b> Ranexa will be authorized for patients with angina who are also taking a calcium channel blocker, a beta blocker, or a nitrite as single agents or a combination agent containing one (1) of these ingredients.		
	RANEXA (ranolazine) <sup>AP</sup>	
<b>ANTIBIOTICS, GI</b>		
<b>CATEGORY PA CRITERIA:</b> A fourteen (14) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
metronidazole tablet neomycin <b>tinidazole</b>	ALINIA (nitazoxanide) DIFICID (fidaxomicin)* FLAGYL (metronidazole) FLAGYL ER (metronidazole ER) metronidazole capsule paromomycin <b>TINDAMAX (tinidazole)</b>	*Dificid will be authorized if the following criteria are met: <ol style="list-style-type: none"> <li>1. There is a diagnosis of severe <i>C. difficile</i> infection; <b>and</b></li> <li>2. There is no response to prior treatment with vancomycin for ten (10) to fourteen (14) days.</li> </ol> **Vancomycin will be authorized for treatment of mild to moderate



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VANOCIN (vancomycin) vancomycin** XIFAXAN (rifaximin)***	<i>C. difficile</i> infections after a fourteen (14) day trial of metronidazole. Severe <i>C. difficile</i> infections do <u>not</u> require a trial of metronidazole for authorization.  ***Full PA criteria may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.
<b>ANTIBIOTICS, INHALED</b>		
<b>CATEGORY PA CRITERIA:</b> A twenty-eight (28) day trial of the preferred agent and documentation of therapeutic failure is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
BETHKIS (tobramycin) KITABIS PAK (tobramycin)	CAYSTON (aztreonam) TOBI (tobramycin) TOBI PODHALER (tobramycin) tobramycin	
<b>ANTIBIOTICS, TOPICAL</b>		
<b>CATEGORY PA CRITERIA:</b> Ten (10) day trials of at least one (1) preferred agent, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
bacitracin (Rx, OTC) gentamicin sulfate mupirocin ointment	ALTABAX (retapamulin) BACTROBAN (mupirocin) CENTANY (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC) mupirocin cream neomycin/polymyxin/pramoxine	
<b>ANTIBIOTICS, VAGINAL</b>		
<b>CATEGORY PA CRITERIA:</b> A trial, the duration of the manufacturer's recommendation, of each preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
clindamycin cream <b>metronidazole</b>	AVC (sulfanilamide) CLEOCIN CREAM (clindamycin) CLEOCIN OVULE (clindamycin) CLINDESSE (clindamycin) <b>METROGEL (metronidazole)</b> NUVESSA (metronidazole) VANDAZOLE (metronidazole)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ANTICOAGULANTS</b>		
<b>CATEGORY PA CRITERIA:</b> Trials of each preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>INJECTABLE<sup>CL</sup></b>		
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)	
<b>ORAL</b>		
COUMADIN (warfarin) ELIQUIS (apixaban) <sup>AP*</sup> PRADAXA (dabigatran) <sup>AP**</sup> warfarin XARELTO (rivaroxaban) <sup>AP***</sup>	SAVAYSA (edoxaban)	<p>*Eliquis will be authorized for the following indications:</p> <ol style="list-style-type: none"> <li>1. Non-valvular atrial fibrillation <b>or</b></li> <li>2. Deep vein thrombosis (DVT) and pulmonary embolism (PE) <b>or</b></li> <li>3. DVT prophylaxis if treatment is limited to thirty-five (35) days for hip replacement surgeries or twelve (12) days for knee replacement surgeries.</li> </ol> <p>**Pradaxa will be authorized for the following indications:</p> <ol style="list-style-type: none"> <li>1. Non-valvular atrial fibrillation <b>or</b></li> <li>2. To reduce the risk of recurrent DVT and PE in patients who have previously been treated <b>or</b></li> <li>3. Treatment of acute DVT and PE in patients who have been treated with a parenteral anticoagulant for five (5) to (10) days.</li> </ol> <p>***Xarelto will be authorized for the following indications::</p> <ol style="list-style-type: none"> <li>1. Non-valvular atrial fibrillation <b>or</b></li> <li>2. DVT, and PE, and reduction in risk of recurrence of DVT and PE <b>or</b></li> <li>3. DVT prophylaxis if treatment is limited to thirty-five (35) days for hip replacement surgeries or twelve (12) days for knee replacement surgeries.</li> </ol>



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ANTICONVULSANTS</b>		
<p><b>CATEGORY PA CRITERIA:</b> A fourteen (14) day trial of one (1) of the preferred agents in the corresponding group is required for treatment naïve patients with a diagnosis of a seizure disorder before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p> <p>A thirty (30) day trial of one (1) of the preferred agents in the corresponding group is required for patients with a diagnosis other than seizure disorders unless one (1) of the exceptions on the PA form is present.</p> <p>Non-preferred anticonvulsants will be authorized for patients on established therapies with a diagnosis of seizure disorders with no trials of preferred agents required. In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription in order for the brand name product to be reimbursed.</p>		
<b>ADJUVANTS</b>		
carbamazepine carbamazepine ER carbamazepine XR DEPAKOTE SPRINKLE (divalproex) divalproex divalproex ER EPITOL (carbamazepine) GABITRIL (tiagabine) lamotrigine levetiracetam IR levetiracetam ER oxcarbazepine suspension and tablets topiramate IR topiramate ER* valproic acid VIMPAT(lacosamide) <sup>AP**</sup> zonisamide	APTIOM (eslicarbazepine) BANZEL(rufinamide) <b>BRIVIACT (brivaracetam)</b> <b>CARBATROL (carbamazepine)</b> DEPAKENE (valproic acid) DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) divalproex sprinkle EQUETRO (carbamazepine) FANATREX SUSPENSION (gabapentin) <b>felbamate</b> FELBATOL (felbamate)*** FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA XR (levetiracetam) LAMICTAL (lamotrigine) LAMICTAL CHEWABLE (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER ONFI (clobazam) **** ONFI SUSPENSION (clobazam) **** OXTELLAR XR (oxcarbazepine) POTIGA (ezogabine) QUDEXY XR (topiramate ER) SABRIL (vigabatrin) SPRITAM (levetiracetam) STAVZOR (valproic acid) TEGRETOL (carbamazepine) <b>TEGRETOL XR (carbamazepine)</b>	*Topiramate ER will be authorized after a thirty (30) day trial of topiramate IR.  **Vimpat will be approved as monotherapy or adjunctive therapy for members seventeen (17) years of age or older with a diagnosis of partial-onset seizure disorder.  ***Patients stabilized on Felbatol will be grandfathered  ****Onfi will be authorized if the following criteria are met: 1. Adjunctive therapy for Lennox-Gastaut <b>or</b> 2. Generalized tonic, atonic or myoclonic seizures <b>and</b> 3. Previous failure of at least two (2) non-benzodiazepine anticonvulsants and previous failure of clonazepam. (For continuation, prescriber must include information regarding improved response/effectiveness with this medication)



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
	tiagabine TOPAMAX (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate) ZONEGRAN (zonisamide)	
<b>BARBITURATES<sup>AP</sup></b>		
phenobarbital primidone	MYSOLINE (primidone)	
<b>BENZODIAZEPINES<sup>AP</sup></b>		
clonazepam DIASTAT (diazepam rectal) diazepam tablets	clonazepam ODT diazepam rectal gel KLONOPIN (clonazepam) VALIUM TABLETS (diazepam)	
<b>HYDANTOINS<sup>AP</sup></b>		
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)	
<b>SUCCINIMIDES</b>		
CELONTIN (methsuximide) ethosuximide syrup ZARONTIN (ethosuximide) capsules	ethosuximide capsules ZARONTIN (ethosuximide) syrup	
<b>ANTIDEPRESSANTS, OTHER</b>		
<b>CATEGORY PA CRITERIA:</b> See below for individual sub-class criteria.		
<b>MAOIs<sup>AP</sup></b>		
	MARPLAN (isocarboxazid) NARDIL (phenelzine) PARNATE (tranylcypromine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.
<b>SNRIS<sup>AP</sup></b>		
duloxetine capuls venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine)	A thirty (30) day trial each of a preferred agent and an SSRI is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
	FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	
<b>SECOND GENERATION NON-SSRI, OTHER<sup>AP</sup></b>		
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone OLEPTRO ER (trazodone) REMERTON (mirtazapine) TRINTELLIX (vortioxetine) VIIBRYD (vilazodone hcl) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	A thirty (30) day trial each of a preferred agent and an SSRI is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.
<b>SELECTED TCAs</b>		
imipramine hcl	imipramine pamoate TOFRANIL (imipramine hcl) TOFRANIL PM (imipramine pamoate)	A twelve (12) week trial of imipramine hcl is required before a non-preferred TCA will be authorized unless one (1) of the exceptions on the PA form is present.
<b>ANTIDEPRESSANTS, SSRIs<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials each of two (2) of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
Upon hospital discharge, patients admitted with a primary mental health diagnosis who have been stabilized on a non-preferred SSRI will receive an authorization to continue that drug		
citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) paroxetine ER PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ANTIEMETICS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A three (3) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. PA is required for ondansetron when limits are exceeded.		
<b>5HT3 RECEPTOR BLOCKERS</b>		
ondansetron ODT, solution, tablets	ANZEMET (dolasetron) granisetron GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) <sup>NR</sup> ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	
<b>CANNABINOIDS</b>		
	CESAMET (nabilone)* dronabinol MARINOL (dronabinol)**	*Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to three (3) day trials of conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.  **Marinol (dronabinol) will only be authorized for: 1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megesterol <b>or</b> 2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
<b>SUBSTANCE P ANTAGONISTS</b>		
EMEND (aprepitant)	aprepitant <sup>NR</sup> VARUBI (rolapitant)	
<b>COMBINATIONS</b>		
	AKYNZEO (netupitant/ palonosetron)	
<b>ANTIFUNGALS, ORAL</b>		
<b>CATEGORY PA CRITERIA:</b> Non-preferred agents will be authorized only if one (1) of the exceptions on the PA form is present.		
clotrimazole fluconazole* nystatin terbinafine <sup>CL</sup>	ANCOBON (flucytosine) CRESEMBA (isovuconazonium) <sup>CL**</sup> DIFLUCAN (fluconazole) flucytosine GRIFULVIN V TABLET (griseofulvin) griseofulvin <sup>***</sup> GRIS-PEG (griseofulvin)	*PA is required when limits are exceeded.  **Full PA criteria may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.  ***PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	itraconazole ketoconazole**** LAMISIL (terbinafine) MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) NOXAFIL (posaconazole) ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) VFEND (voriconazole) voriconazole suspension voriconazole tablets	****Ketoconazole will be authorized if the following criteria are met: <ol style="list-style-type: none"> <li>1. Diagnosis of one of the following fungal infections: blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, or paracoccidioidomycosis <b>and</b></li> <li>2. Documented failure or intolerance of all other diagnosis-appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc <b>and</b></li> <li>3. Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombin time, and international normalized ration (INR) before starting treatment <b>and</b></li> <li>4. Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the upper limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function, treatment should be interrupted and a full set of liver tests be obtained. Liver tests should be repeated to ensure normalization of values.) <b>and</b></li> <li>5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.</li> </ol> <b>Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.</b>
<b>ANTIFUNGALS, TOPICAL<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Fourteen (14) day trials of two (2) of the preferred agents are required before a non-preferred agents will be authorized unless one (1) of the exceptions on the PA form is present. If a non-preferred shampoo is requested, a fourteen (14) day trial of one (1) preferred product (ketoconazole shampoo) is required.		
<b>ANTIFUNGALS</b>		
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox) LUZU (luliconazole) MYCOSTATIN (nystatin)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NAFTIN CREAM (naftifine) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole)	
<b>ANTIFUNGAL/STEROID COMBINATIONS</b>		
clotrimazole/betamethasone nystatin/triamcinolone	KETOCON PLUS (ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone)	
<b>ANTIHYPERTENSIVES, SYMPATHOLYTICS</b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of each preferred unique chemical entity in the corresponding formulation is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
CATAPRES-TTS (clonidine) clonidine tablets	CATAPRES TABLETS (clonidine) clonidine patch NEXICLON XR (clonidine)	
<b>ANTIHYPERURICEMICS</b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks (colchicine/probenecid, probenecid, or allopurinol) is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>ANTIMITOTICS</b>		
<b>MITIGARE (colchicine)</b>	colchicine capsules* colchicine tablets COLCRYS (colchicine)	*In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of colchicine will be authorized per ninety (90) days.
<b>ANTIMITOTIC-URICOSURIC COMBINATION</b>		
colchicine/probenecid		
<b>URICOSURIC</b>		
probenecid		
<b>XANTHINE OXIDASE INHIBITORS</b>		
allopurinol	ULORIC (febuxostat) ZURAMPIC (lesinurad) <sup>NR</sup> ZYLOPRIM (allopurinol)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ANTIMIGRAINE AGENTS, OTHER<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Three (3) day trials of each unique chemical entity of the preferred Antimigraine Triptan agents are required before Cambia will be authorized unless (1) of the exceptions on the PA form is present.		
	CAMBIA (diclofenac)	
<b>ANTIMIGRAINE AGENTS, TRIPTANS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Three (3) day trials of each unique chemical entity of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. Quantity limits apply for this drug class.		
<b>TRIPTANS</b>		
naratriptan rizatriptan rizatriptan ODT sumatriptan nasal spray/injection sumatriptan tablets	almotriptan AMERGE (naratriptan) AXERT (almotriptan) FROVA (frovatriptan) frovatriptan IMITREX INJECTION (sumatriptan) <sup>CL</sup> IMITREX NASAL SPRAY (sumatriptan) IMITREX tablets (sumatriptan) MAXALT (rizatriptan) MAXALT MLT (rizatriptan) ONZETRA XSAIL (sumatriptan) <sup>NR</sup> RELPAK (eletriptan) SUMAVEL (sumatriptan) ZECUITY PATCH (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan zolmitriptan ODT ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan)	<b>In addition to the Category Criteria:</b> Three (3) day trials of each preferred agent will be required before Imitrex injection is authorized.
<b>TRIPTAN COMBINATIONS</b>		
	TREXIMET (sumatriptan/naproxen sodium)	
<b>ANTIPARASITICS, TOPICAL<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Trials of each of the preferred agents (which are age and weight appropriate) are required before non-preferred agents will be authorized unless one (1) of the exceptions on the PA form is present.		
permethrin 5% cream permethrin 1% lotion (OTC) pyrethrins-piperonyl butoxide OTC SKLICE (ivermectin) spinosad	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion NATROBA (spinosad) OVIDE (malathion)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ANTIPARKINSON'S AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> Patients starting therapy on drugs in this class must show a documented allergy to all of the preferred agents in the corresponding class, before a non-preferred agent will be authorized.		
<b>ANTICHOLINERGICS</b>		
benztropine trihexyphenidyl	COGENTIN (benztropine)	
<b>COMT INHIBITORS</b>		
	COMTAN (entacapone) entacapone TASMAR (tolcapone)	
<b>DOPAMINE AGONISTS</b>		
pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole) NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole) ropinirole ER	Mirapex, Mirapex ER, Requip, and Requip XL will be authorized for a diagnosis of Parkinsonism with no trials of preferred agents required.
<b>OTHER ANTIPARKINSON'S AGENTS</b>		
amantadine <sup>AP</sup> bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa ELDEPRYL (selegiline) levodopa/carbidopa ODT LODOSYN (carbidopa) PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) rasagiline <sup>NR</sup> RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) ZELAPAR (selegiline)	Amantadine will be authorized only for a diagnosis of Parkinsonism.
<b>ANTIPSORIATICS, TOPICAL</b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials of two (2) preferred unique chemical entities are required before non-preferred agents will be authorized unless one (1) of the exceptions on the PA form is present.		
calcipotriene ointment calcipotriene/betamethasone ointment TAZORAC (tazarotene)	calcipotriene cream calcipotriene solution CALCITRENE (calcipotriene) calcitriol DOVONEX (calcipotriene) ENSTILAR (calcipotriene/betamethasone)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SORILUX (calcipotriene) TACLONEX (calcipotriene/ betamethasone) VECTICAL (calcitriol)	
<b>ANTIPSYCHOTICS, ATYPICAL</b>		
<b>CATEGORY PA CRITERIA: All antipsychotic agents require prior authorization for children up to eighteen (18) years of age. All PA requests for antipsychotics for children 6 years of age and younger will be reviewed by Medicaid's consultant psychiatrist.</b>		
A fourteen (14) day trial of a preferred generic agent is required before a Preferred Brand will be authorized.		
Non-preferred agents will be authorized if the following criteria have been met:		
<ol style="list-style-type: none"> <li>1. A fourteen (14) day trial of a preferred generic agent <b>and</b></li> <li>2. Two (2) fourteen (14) day trials of additional preferred products unless one (1) of the exceptions on the PA form is present.</li> </ol>		
In the event there are not three preferred drugs with FDA-approved labels for the patient's age range or diagnosis, the drug may still receive approval at the discretion of RDTP or by BMS on appeal.		
Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug for labeled indications and at FDA recommended dosages. Requests for off-label use will be given at least a 30 day prior-authorization so that BMS may properly review the requested therapy.		
<b>SINGLE INGREDIENT</b>		
ABILIFY MAINTENA (aripiprazole)* CL ABILIFY DISCMELT & ORAL SOLUTION (aripiprazole) aripiprazole tablets clozapine INVEGA SUSTENNA (paliperidone)* CL INVEGA TRINZA (paliperidone)** CL LATUDA (lurasidone)*** AP olanzapine olanzapine ODT quetiapine**** AP for the 25 mg Tablet Only RISPERDAL CONSTA (risperidone) * CL risperidone ziprasidone	ABILIFY TABLETS (aripiprazole) ADASUVE (loxapine) aripiprazole discmelt & oral solution ARISTADA (aripiprazole)***** clozapine ODT CLOZARIL (clozapine) FANAPT (iloperidone) FAZACLO (clozapine) GEODON (ziprasidone) GEODON IM (ziprasidone) INVEGA ER (paliperidone) ***** NUPLAZID (pimavanserin) ***** olanzapine IM* paliperidone ER***** quetiapine ER <sup>NR</sup> REXULTI (brexipiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) VRAYLAR (capripazine)	*All injectable antipsychotic products require clinical prior authorization and will be approved on a case-by-case basis.  **Invega Trinza will be authorized after four months' treatment with Invega Sustenna  ***Latuda will be authorized for patients only after a trial of one other preferred drug  ****Quetiapine 25 mg will be authorized: <ol style="list-style-type: none"> <li>1. For a diagnosis of schizophrenia <b>or</b></li> <li>2. For a diagnosis of bipolar disorder <b>or</b></li> <li>3. When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.</li> </ol> <b>Quetiapine 25 mg will not be authorized for use as a sedative hypnotic.</b>  *****Aristada is only approvable on appeal and requires that tolerability has been previously established with oral aripiprazole for at least 2 weeks AND that there is a clinically compelling reason why Abilify Maintena cannot be used.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	<b>VRAYLAR DOSE PAK (capripazine)</b> ZYPREXA (olanzapine) ZYPREXA IM (olanzapine)* ZYPREXA RELPREVV (olanzapine)	*****Nuplazid will only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine.  *****Invega ER is preferred over paliperidone ER
<b>ATYPICAL ANTIPSYCHOTIC/SSRI COMBINATIONS</b>		
	olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)	
<b>ANTIRETROVIRALS</b>		
<b>CATEGORY PA CRITERIA:</b> Non-preferred drugs require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred agents. <u>NOTE:</u> Regimens consisting of preferred agents will result in no more than one additional unit per day over equivalent regimens composed of non-preferred agents. Patients already on a non-preferred regimen shall be grandfathered.		
<b>INTEGRASE STRAND TRANSFER INHIBITORS</b>		
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) VITEKTA (elvitegravir)		
<b>NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)</b>		
abacavir sulfate didanosine DR capsule EMTRIVA (emtricitabine) EPIVIR SOLUTION (lamivudine) lamivudine stavudine VIDEX SOLUTION (didanosine) VIREAD (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine	EPIVIR TABLET (lamivudine) RETROVIR (zidovudine) VIDEX EC (didanosine) ZERIT (stavudine) ZIAGEN TABLET (abacavir sulfate)	
<b>NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI)</b>		
EDURANT (rilpivirine) SUSTIVA (efavirenz)	INTELENCE (etravirine) nevirapine nevirapine ER RESCRIPTOR (delavirdine mesylate) VIRAMUNE ER 24H (nevirapine) VIRAMUNE SUSPENSION (nevirapine)	
<b>PHARMACOENHANCER – CYTOCHROME P450 INHIBITOR</b>		
TYBOST (cobicistat)		



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>PROTEASE INHIBITORS (PEPTIDIC)</b>		
EVOTAZ (atazanavir/cobicistat) NORVIR (ritonavir) REYATAZ (atazanavir)	CRIXIVAN (indinavir) INVIRASE (saquinavir mesylate) LEXIVA (fosamprenavir) VIRACEPT (nelfinavir mesylate)	
<b>PROTEASE INHIBITORS (NON-PEPTIDIC)</b>		
PREZISTA (darunavir ethanolate)	APTIVUS (tipranavir) PREZCOBIX (darunavir/cobicistat)	
<b>ENTRY INHIBITORS – CCR5 CO-RECEPTOR ANTAGONISTS</b>		
	SELZENTRY (maraviroc)	
<b>ENTRY INHIBITORS – FUSION INHIBITORS</b>		
	FUZEON (enfuvirtide)	
<b>COMBINATION PRODUCTS - NRTIs</b>		
EPZICOM (abacavir/lamivudine) lamivudine/zidovudine	abacavir/lamivudine/zidovudine COMBIVIR (lamivudine/zidovudine) TRIZIVIR (abacavir/lamivudine/zidovudine)	
<b>COMBINATION PRODUCTS – NUCLEOSIDE &amp; NUCLEOTIDE ANALOG RTIs</b>		
DESCOVY (emtricitabine/tenofovir) TRUVADA (emtricitabine/tenofovir)		
<b>COMBINATION PRODUCTS – NUCLEOSIDE &amp; NUCLEOTIDE ANALOGS &amp; INTEGRASE INHIBITORS</b>		
GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir)* TRIUMEQ (abacavir/lamivudine/ dolutegravir)**	* <u>Stribild</u> requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the the preferred agent Genvoya.  ** <u>Triumeq</u> requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Epzicom and Tivicay.
<b>COMBINATION PRODUCTS – NUCLEOSIDE &amp; NUCLEOTIDE ANALOGS &amp; NON-NUCLEOSIDE RTIs</b>		
ATRIPLA (efavirenz/emtricitabine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)* ODEFSEY (emtricitabine/rilpivirine/tenofovir)**	* <u>Complera</u> requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Truvada and Edurant.  ** <u>Odefsey</u> requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Descovy and Edurant.
<b>COMBINATION PRODUCTS – PROTEASE INHIBITORS</b>		
KALETRA (lopinavir/ritonavir)		



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ANTIVIRALS, ORAL</b>		
<b>CATEGORY PA CRITERIA:</b> Five (5) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>ANTI HERPES</b>		
acyclovir valacyclovir	famciclovir FAMVIR (famciclovir) SITAVIG (acyclovir) VALTREX ZOVIRAX (acyclovir)	
<b>ANTI-INFLUENZA</b>		
RELENZA (zanamivir) TAMIFLU (oseltamivir)	FLUMADINE (rimantadine) oseltamivir <sup>NR</sup> rimantadine	<b>In addition to the Category Criteria:</b> The anti-influenza agents will be authorized only for a diagnosis of influenza.
<b>ANTIVIRALS, TOPICAL<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A five (5) day trial of the preferred agent will be required before a non-preferred agent will be approved unless one (1) of the exceptions on the PA form is present.		
ZOVIRAX CREAM (acyclovir)	ABREVA (docosanol) acyclovir ointment DENVIR (penciclovir) ZOVIRAX OINTMENT (acyclovir)	
<b>BETA BLOCKERS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Fourteen (14) day trials each of three (3) chemically distinct preferred agents, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>BETA BLOCKERS</b>		
acebutolol atenolol betaxolol bisoprolol metoprolol metoprolol ER nadolol pindolol propranolol sotalol timolol	BETAPACE (sotalol) BYSTOLIC (nebivolol) CORGARD (nadolol) HEMANGEOL (propranolol)* INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) propranolol ER** SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy.  **Propranolol ER shall be authorized for patients with a diagnosis of migraines. Existing users will be grandfathered for use in migraine prophylaxis.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID**

**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
<b>BETA BLOCKER/DIURETIC COMBINATION DRUGS</b>		
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ nadolol/bendroflumethiazide propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) DUTOPROL (metoprolol ER/HCTZ ER) LOPRESSOR HCT (metoprolol/HCTZ) metoprolol/HCTZ ER <sup>NR</sup> TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)	
<b>BETA- AND ALPHA-BLOCKERS</b>		
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	
<b>BLADDER RELAXANT PREPARATIONS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of each chemically distinct preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
oxybutynin IR oxybutynin ER VESICARE (solifenacin)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) tolterodine tolterodine ER TOVIAZ (fesoterodine) trospium trospium ER	
<b>BONE RESORPTION SUPPRESSION AND RELATED AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>BISPHOSPHONATES</b>		
alendronate tablets	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate)	



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) ibandronate risedronate	
<b>OTHER BONE RESORPTION SUPPRESSION AND RELATED AGENTS</b>		
calcitonin	EVISTA (raloxifene)* FORTEO (teriparatide) FORTICAL (calcitonin) MIACALCIN (calcitonin) raloxifene	*Evista will be authorized for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.
<b>BPH TREATMENTS</b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials each of at least two (2) chemically distinct preferred agents, including the generic formulation of the requested non-preferred agent, are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>5-ALPHA-REDUCTASE (5AR) INHIBITORS</b>		
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) dutasteride PROSCAR (finasteride)	
<b>ALPHA BLOCKERS</b>		
alfuzosin doxazosin tamsulosin terazosin	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	
<b>5-ALPHA-REDUCTASE (5AR) INHIBITORS/ALPHA BLOCKER COMBINATION</b>		
	dutasteride/tamsulosin JALYN (dutasteride/tamsulosin)	<b>Substitute for Category Criteria:</b> Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
<b>BRONCHODILATORS, BETA AGONIST<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials each of the chemically distinct preferred agents in their corresponding groups are required before a non-preferred agent in that group will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>INHALATION SOLUTION</b>		
ACCUNE <sup>B</sup> (albuterol)* albuterol	BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)	*No PA is required for Accune <sup>B</sup> for children up to five (5) years of age.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
<b>INHALERS, LONG-ACTING</b>		
FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate) STRIVERDI RESPIMAT (olodaterol)	
<b>INHALERS, SHORT-ACTING</b>		
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	MAXAIR (pirbuterol) PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
<b>ORAL</b>		
albuterol IR, ER terbutaline	metaproterenol VOSPIRE ER (albuterol)	
<b>CALCIUM CHANNEL BLOCKERS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A fourteen (14) day trial of each preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>LONG-ACTING</b>		
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA DYNACIRC CR (isradipine) ISOPTIN SR (verapamil) MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	
<b>SHORT-ACTING</b>		
diltiazem verapamil	CALAN (verapamil) CARDIZEM (diltiazem) isradipine nicardipine	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID**

**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
	nifedipine nimodipine NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	
<b>CEPHALOSPORINS AND RELATED ANTIBIOTICS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A five (5) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>BETA LACTAMS AND BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS</b>		
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)	
<b>CEPHALOSPORINS</b>		
cefaclor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CEDAX (ceftibuten) cefaclor suspension cefaclor ER tablet cefadroxil suspension cefditoren cefpodoxime cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SPECTRACEF (cefditoren) SUPRAX (cefixime)	
<b>COLONY STIMULATING FACTORS<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of one (1) of the preferred agents is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present		
<b>GRANIX (tbo-filgrastim)</b> LEUKINE (sargramostim) NEUPOGEN (filgrastim)	NEULASTA (pegfilgrastim) ZARXIO (filgrastim)	



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>COPD AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>ANTICHOLINERGIC<sup>AP</sup></b>		
ipratropium SPIRIVA (tiotropium)	<b>ATROVENT HFA (ipratropium)</b> INCRUSE ELLIPTA (umeclidinium) SPIRIVA RESPIMAT (tiotropium) TUDORZA (aclidinium)	<b>Substitute for Category Criteria:</b> A thirty (30) day trial of tiotropium is required before a non-preferred agent will be authorized.
<b>ANTICHOLINERGIC-BETA AGONIST COMBINATIONS<sup>AP</sup></b>		
albuterol/ipratropium COMBIVENT RESPIMAT (albuterol/ipratropium)	ANORO ELLIPTA (umeclidinium/vilanterol)* <b>BEVESPI (glycopyrrolate/formoterol)</b> DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)*	*Anoro Ellipta and Stiolto Respimat will be authorized if the following criteria are met: 1) Patient must be eighteen (18) years of age or older; <b>AND</b> 2) Patient must have had a diagnosis of COPD; <b>AND</b> 3) Patient must have had a thirty (30) day trial of a LABA; <b>AND</b> 4) Patient must have had a <b>concurrent thirty (30)</b> day trial with a long-acting anticholinergic. Prior-authorization will be denied for patients with a sole diagnosis of asthma.
<b>PDE4 INHIBITOR</b>		
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met: 1. Patient is forty (40) years of age or older <b>and</b> 2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months <b>and</b> 3. Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance <b>and</b> 4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) <b>and</b> 5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>CYTOKINE &amp; CAM ANTAGONISTS<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Non-preferred agents require ninety (90) day trials of both Humira and Enbrel unless one (1) of the exceptions on the PA form is present. For FDA-approved indications, an additional ninety (90) day trial of Cosentyx will also be required.		
<b>ANTI-TNFs</b>		
ENBREL (etanercept)* HUMIRA (adalimumab)*	CIMZIA (certolizumab pegol) SIMPONI (golimumab)	* Full PA criteria may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.
<b>OTHERS</b>		
COSENTYX (secukinumab)*	ACTEMRA syringe (tocilizumab) KINERET (anakinra) ORENCIA syringe (abatacept) OTEZLA (apremilast) STELARA syringe (ustekinumab) <b>TALTZ (ixekizumab)</b> XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)	*Cosentyx will be authorized for treatment of plaque psoriasis, psoriatic arthritis and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of Humira.
<b>EPINEPHRINE, SELF-INJECTED</b>		
<b>CATEGORY PA CRITERIA:</b> A non-preferred agent will be authorized upon documentation showing the patient's inability to follow the instructions, or the patient's failure to understand the training for both preferred agents.		
epinephrine (generic ADRENACLICK – labeler 54505 and 00115)	ADRENACLICK (epinephrine) epinephrine (generic EPIPEN – labeler 49502) <sup>NR</sup> <b>EPIPEN (epinephrine)</b> <b>EPIPEN JR (epinephrine)</b>	
<b>ERYTHROPOIESIS STIMULATING PROTEINS<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
PROCRIT (rHuEPO)	ARANESP (darbepoetin) EPOGEN (rHuEPO)	Erythropoiesis agents will be authorized if the following criteria are met: 1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) <b>and</b> 2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml,



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID**

**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		<p>or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent <b>and</b></p> <ol style="list-style-type: none"> <li>For HIV-infected patients, endogenous serum erythropoietin level must be <math>\leq 500\text{mU/ml}</math> to initiate therapy <b>and</b></li> <li>No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.</li> </ol>
<b>FLUOROQUINOLONES (Oral)<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A five (5) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER ciprofloxacin suspension FACTIVE (gemifloxacin) LEVAQUIN (levofloxacin) levofloxacin solution moxifloxacin NOROXIN (norfloxacin) ofloxacin	
<b>GLUCOCORTICOIDS, INHALED<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials of each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>GLUCOCORTICOIDS</b>		
ASMANEX TWISTHALER (mometasone) FLOVENT HFA (fluticasone) FLOVENT DISKUS (fluticasone) PULMICORT RESPULES (budesonide)* QVAR (beclomethasone)	AEROSPAN (flunisolide)** ALVESCO (ciclesonide) ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) budesonide PULMICORT FLEXHALER (budesonide)	<p>* Pulmicort Respules are preferred for children up to nine (9) years of age.            * Brand Pulmicort Respules are preferred over the generic formulation.            * Pulmicort Respules may be prior authorized in children and adults nine (9) years of age and older for severe nasal polyps.</p> <p>**Aerospan will be authorized for children ages 6 through 11 years old without a trial of a preferred agent.</p>



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
<b>GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS</b>		
<b>ADVAIR DISKUS (fluticasone/salmeterol)</b> ADVAIR HFA (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)		<b>Substitute for Category Criteria:</b> For a diagnosis of COPD, thirty (30) day trials of each of the preferred agents in this category indicated for COPD are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.
<b>GROWTH HORMONE<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A trial of each preferred agents is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) TEV-TROPIN (somatropin) ZORBTIVE (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.
<b>H. PYLORI TREATMENT</b>		
<b>CATEGORY PA CRITERIA:</b> A trial of the preferred agent or individual preferred components of the non-preferred agent (with omeprazole or pantoprazole) at the recommended dosages, frequencies and duration is required before the brand name combination packages will be authorized unless one (1) of the exceptions on the PA form is present.		
Please use individual components: preferred PPI (omeprazole or pantoprazole) amoxicillin tetracycline metronidazole clarithromycin bismuth	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin) PYLERA (bismuth/metronidazole/tetracycline)	
<b>HEPATITIS B TREATMENTS</b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
BARACLUDE (entecavir) <b>lamivudine HBV</b> TYZEKA (telbivudine)	adefovir entecavir <b>EPIVIR HBV (lamivudine)</b> HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate) <sup>NR</sup>	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>HEPATITIS C TREATMENTS<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b> For patients starting therapy in this class, a trial of the preferred agent of a dosage form is required before a non-preferred agent of that dosage form will be authorized.		
<p><b>EPCLUSA (sofosbuvir/velpatasvir)*</b>            HARVONI (ledipasvir/sofosbuvir)*            PEGASYS (pegylated interferon)            PEG-INTRON (pegylated interferon)            ribavirin            SOVALDI (sofosbuvir)*            TECHNIVIE (ombitasvir/paritaprevir/ritonavir)*            VIEKIRA PAK (dasabuvir/ombitasvir/paritaprevir/ritonavir)*  <b>VIEKIRA XR (dasabuvir/ombitasvir/paritaprevir/ritonavir)*</b>            ZEPATIER (elbasvir/grazoprevir)*</p>	<p>COPEGUS (ribavirin)            DAKLINZA (daclatasvir)*            MODERIBA 400 mg, 600 mg            MODERIBA DOSE PACK            OLYSIO (simeprevir)*            REBETOL (ribavirin)            RIBASPHERE RIBAPAK (ribavirin)            RIBASPHERE 400 mg, 600 mg (ribavirin)</p>	<p>* Full PA criteria may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.</p>
<b>HYPERPARATHYROID AGENTS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of a preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<p><b>doxercalciferol</b>            paricalcitol capsule</p>	<p><b>HECTOROL (doxercalciferol)</b>            paricalcitol injection            RAYALDEE (calcifediol)<sup>NR</sup>            SENSIPAR (cinacalcet)            ZEMPLAR (paricalcitol)</p>	
<b>HYPOGLYCEMICS, BIGUANIDES</b>		
<b>CATEGORY PA CRITERIA:</b> A ninety (90) day trial of one (1) preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<p>metformin            metformin ER (generic Glucophage XR)</p>	<p>FORTAMET (metformin ER)            GLUCOPHAGE (metformin)            GLUCOPHAGE XR (metformin ER)            GLUMETZA (metformin ER)            metformin ER (generic Glumetza &amp; Fortamet)            RIOMET (metformin)</p>	<p>Glumetza will be approved only after a 30-day trial of Fortamet.</p>



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b>		
<p><b>Patients with a starting A1C &lt; 7% are not eligible for coverage.</b></p> <ol style="list-style-type: none"> <li>No agent in this category shall be approved except as add-on therapy to a regimen consisting of metformin prescribed at the maximum tolerable dose (unless contraindicated).</li> <li>All agents (preferred and non-preferred) require submission of an <u>initial</u> A1C taken within 30 days of the request for prior authorization, reflecting their current and stabilized regimen.</li> <li>A ninety (90) day trial of each chemically distinct preferred agent within the sub-category will be required before a non-preferred agent may be authorized (unless one of the exceptions on the PA form is present).</li> <li>All agents will be approved in six (6) month intervals. For re-authorizations, documentation that A1C levels have decreased by at least 1% from the initial A1C or are maintained at ≤8% is required. A1C levels submitted must be for the most recent thirty (30) day period.</li> </ol>		
<b>INJECTABLE</b>		
BYDUREON (exenatide) BYETTA (exenatide) VICTOZA (liraglutide)	ADLYXIN (lixisenatide) <sup>NR</sup> SYMLIN (pramlintide)* TANZEUM (albiglutide) TRULICITY (dulaglutide)	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.
<b>ORAL</b>		
JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin alogliptin/metformin alogliptin/pioglitazone JANUMET XR (sitagliptin/metformin) <b>JENTADUETO XR (linagliptin/metformin)</b> KAZANO (alogliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) NESINA (alogliptin) ONGLYZA (saxagliptin) OSENİ (alogliptin/pioglitazone)	<b>In addition to the Category Criteria:</b> A ninety (90) day trial of the corresponding (single drug vs. combination drug) preferred agent is required before a non-preferred agent will be approved.
<b>HYPOGLYCEMICS, INSULIN AND RELATED AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> A ninety (90) day trial of a pharmacokinetically similar agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
Humulin pens and Humalog Mix pens will be authorized only for patients who cannot utilize vials due to impaired vision or dexterity.		
HUMALOG (insulin lispro) HUMALOG MIX VIALS (insulin lispro/lispro protamine) HUMULIN VIALS (insulin)	AFREZZA (insulin) <sup>CL</sup> APIDRA (insulin glulisine) <sup>AP*</sup> BASAGLAR (insulin glarine) <sup>NR</sup> HUMALOG PEN/KWIKPEN (insulin lispro)	*Apidra will be authorized if the following criteria are met: 1. Patient is four (4) years of age or older; <b>and</b> 2. Patient is currently on a regimen including a longer acting or basal insulin, <b>and</b>



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine)	HUMALOG MIX PENS (insulin lispro/lispro protamine) HUMULIN PENS (insulin) NOVOLIN (insulin) SOLIQUA (insulin glargine/lixisenatide) <sup>NR</sup> TOUJEO SOLOSTAR (insulin glargine)** TRESIBA (insulin degludec)** XULTOPHY (insulin degludec/liraglutide) <sup>NR</sup>	3. Patient has had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were not achieved.  **Tresiba U-100 will be authorized only for patients with a 6-month history of compliance on preferred long-acting insulin.  Tresiba U-200 and Toujeo Solostar will <b>only</b> be approved for patients with a 6-month history of compliance on preferred long-acting insulin who require once-daily doses of at least 60 units of insulin.
<b>HYPOGLYCEMICS, MEGLITINIDES<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b>		
<b>Patients with a starting A1C &lt; 7% are not eligible for coverage.</b>		
<ol style="list-style-type: none"> <li>1) No agent in this category shall be approved except as add-on therapy to a regimen consisting of metformin prescribed at the maximum tolerable dose (unless contraindicated).</li> <li>2) All agents (preferred and non-preferred) require submission of an <u>initial</u> A1C taken within 30 days of the request for prior authorization, reflecting their current and stabilized regimen.</li> <li>3) A ninety (90) day trial of each chemically distinct preferred agent within the sub-category will be required before a non-preferred agent may be authorized (unless one of the exceptions on the PA form is present).</li> <li>4) All agents will be approved in six (6) month intervals. For re-authorizations, documentation that A1C levels have decreased by at least 1% from the initial A1C or are maintained at ≤8% is required. A1C levels submitted must be for the most recent thirty (30) day period.</li> </ol>		
<b>MEGLITINIDES</b>		
nateglinide repaglinide	PRANDIN (repaglinide) STARLIX (nateglinide)	
<b>MEGLITINIDE COMBINATIONS</b>		
	PRANDIMET (repaglinide/metformin) repaglinide/metformin	
<b>HYPOGLYCEMICS, BILE ACID SEQUESTRANTS</b>		
<b>CATEGORY PA CRITERIA:</b> Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (sulfonylurea, thiazolidinedione (TZD) or metformin).		
WELCHOL (colesevelam) <sup>AP</sup>		



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>HYPOGLYCEMICS, SGLT2 INHIBITORS</b>		
<p><b>CATEGORY PA CRITERIA:</b> All agents will be approved in six (6) month intervals if the following criteria are met:</p> <p><b>Patients with a starting A1C &lt; 7% are not eligible for coverage.</b></p> <p><b>Initial starts</b> require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen. Current A1C must be less than or equal to (<math>\leq</math>) 10.5%.</p> <p><b>No agent in this category shall be approved except as add on therapy to a regimen consisting of metformin (unless contraindicated) and at least one other oral agent prescribed at the maximum tolerable doses for at least 60 days.</b></p> <p><b>Re-authorizations</b> require <u>continued</u> maintenance on a regimen consisting of metformin (unless contraindicated) and at least one other oral agent at the maximum tolerable doses. Documentation must be submitted that the A1C has decreased by at least 1% from the initial measurement or is maintained at <math>\leq</math>8%.</p>		
<b>SGLT2 INHIBITORS</b>		
	FARXIGA (dapagliflozin) INVOKANA (canagliflozin) JARDIANCE (empagliflozin)	
<b>SGLT2 COMBINATIONS</b>		
	GLYXAMBI (empagliflozin/linagliptin) INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) <sup>NR</sup> SYNJARDY (empagliflozin/metformin) XIGDUO XR (dapagliflozin/metformin)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**  
This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>HYPOGLYCEMICS, TZD<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b>		
<p><b>Patients with a starting A1C &lt; 7% are not eligible for coverage.</b></p> <ol style="list-style-type: none"> <li>1) No agent in this category shall be approved except as add-on therapy to a regimen consisting of metformin prescribed at the maximum tolerable dose (unless contraindicated).</li> <li>2) All agents (preferred and non-preferred) require submission of an initial A1C taken within 30 days of the request for prior authorization, reflecting their current and stabilized regimen.</li> <li>3) A ninety (90) day trial of each chemically distinct preferred agent within the respective sub-category will be required before a non-preferred agent will be authorized (unless one of the exceptions on the PA form is present).</li> <li>4) All agents will be approved in six (6) month intervals. For re-authorizations, documentation that A1C levels have decreased by at least 1% from the initial A1C or are maintained at ≤8% is required. A1C levels submitted must be for the most recent thirty (30) day period.</li> </ol>		
<b>THIAZOLIDINEDIONES</b>		
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)	
<b>TZD COMBINATIONS</b>		
	ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDAMET (rosiglitazone/metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.
<b>IMMUNE GLOBULINS, IV<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Immune globulin agents will be authorized according to FDA approved indications.		
BIVIGAM (human immunoglobulin gamma) CARIMUNE NF (human immunoglobulin gamma) FLEBOGAMMA DIF (human immunoglobulin gamma) GAMMAGARD LIQUID (human immunoglobulin gamma) GAMMAGARD S-D (human immunoglobulin gamma) GAMMAKED (human immunoglobulin gamma)		



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID**

**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
GAMMAPLEX (human immunoglobulin gamma) GAMUNEX-C (human immunoglobulin gamma) OCTAGAM (human immunoglobulin gamma) PRIVIGEN (human immunoglobulin gamma)		
<b>IMMUNE GLOBULINS, OTHER<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Immune globulin agents will be authorized according to FDA approved indications. A trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
CYTOGAM (human cytomegalovirus immune globulin) GAMASTAN S-D VIAL (human immunoglobulin gamma) HEPAGAM B (hepatitis b immune globulin (human)) HIZENTRA (human immunoglobulin gamma) VARIZIG (varicella zoster immune globulin (human))	HYQVIA (human immune globulin G and hyaluronidase)	
<b>IMMUNOMODULATORS, ATOPIC DERMATITIS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of a preferred medium or high potency topical corticosteroid is required before coverage of Elidel will be considered; additionally, a thirty (30) day trial of Elidel is required before a non-preferred agent will be considered, unless one (1) of the exceptions on the PA form is present.		
ELIDEL (pimecrolimus) <sup>AP</sup>	PROTOPIC (tacrolimus) tacrolimus ointment	A thirty (30) day trial of a preferred medium or high potency topical corticosteroid is required before coverage of Elidel will be considered; additionally, a thirty (30) day trial of Elidel is required before Protopic will be considered, unless one (1) of the exceptions on the PA form is present.
<b>IMMUNOMODULATORS, GENITAL WARTS &amp; ACTINIC KERATOSIS AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of both preferred agents is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod	ALDARA (imiquimod) CARAC (fluorouracil) CONDYLOX SOLUTION (podofilox) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream podofilox SOLARAZE (diclofenac) TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>IMMUNOSUPPRESSIVES, ORAL</b>		
<b>CATEGORY PA CRITERIA:</b> A fourteen (14) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARBUS XR (tacrolimus) IMURAN (azathioprine) mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	
<b>INTRANASAL RHINITIS AGENTS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> See below for individual sub-class criteria.		
<b>ANTICHOLINERGICS</b>		
ipratropium	ATROVENT(ipratropium)	Thirty (30) day trials each of one (1) of the nasal anti-cholinergic, one (1) of the antihistamine, and one (1) of the corticosteroid preferred agents are required before a non-preferred anti-cholinergic will be authorized unless one (1) of the exceptions on the PA form is present.
<b>ANTIHISTAMINES</b>		
azelastine PATANASE (olopatadine)	ASTEPRO (azelastine)	Thirty (30) day trials of each preferred intranasal antihistamines and a thirty (30) day trial of one (1) of the preferred intranasal corticosteroids are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.
<b>COMBINATIONS</b>		
	DYMISTA (azelastine / fluticasone)	A concurrent thirty (30) day trial of each of the preferred components is required before Dymista will be authorized unless one (1) of the exceptions on the PA form is present.
<b>CORTICOSTEROIDS</b>		
fluticasone propionate QNASL HFA (beclomethasone)	BECONASE AQ (beclomethasone) budesonide FLONASE (fluticasone propionate) flunisolide NASACORT AQ (triamcinolone)	Thirty (30) day trials of each preferred agent in the corticosteroid group are required before a non-preferred corticosteroid agent will be authorized unless one (1) of the exceptions on the PA form is present.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
	NASONEX (mometasone) OMNARIS (ciclesonide) RHINOCORT AQUA (budesonide) triamcinolone VERAMYST (fluticasone furoate) ZETONNA (ciclesonide)	
<b>IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME/SELECTED GI AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
AMITIZA (lubiprostone) <sup>CL*</sup> LINZESS (linaclotide) <sup>CL*</sup>	alosetron** FULYZAQ (crofelemer)* LOTRONEX (alosetron)** MOVANTIK (naloxegol)* RELISTOR (methylnaltrexone)* VIBERZI (eluxadoline)**	* Full PA criteria may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.  **For the indication of IBS-diarrhea, alosetron (Lotronex) and Viberzi have specific PA criteria which may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.
<b>LAXATIVES AND CATHARTICS</b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
COLYTE GOLYTELY NULYTELY peg 3350	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP PREPOPIK SUPREP	
<b>LEUKOTRIENE MODIFIERS</b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) ZYFLO (zileuton)	
<b>LIPOTROPICS, OTHER (Non-statins)</b>		
<b>CATEGORY PA CRITERIA:</b> A twelve (12) week trial of one (1) of the preferred agents is required before a non-preferred agent in the corresponding category will be authorized.		
<b>BILE ACID SEQUESTRANTS<sup>AP</sup></b>		
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules KYNAMRO (mipomersen) <sup>CL*</sup>	*Kynamro requires a 24-week trial of Repatha.  **Welchol will be authorized for add-on therapy for type 2



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID**

**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
	QUESTRAN (cholestyramine) WELCHOL (colesevelam)**	diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.
<b>CHOLESTEROL ABSORPTION INHIBITORS</b>		
ZETIA (ezetimibe) <sup>AP</sup>	ezetimibe <sup>NR</sup>	Zetia will be authorized with prior use of a HMG-CoA reductase inhibitor within the previous six (6) months.
<b>FATTY ACIDS<sup>AP</sup></b>		
	LOVAZA (omega-3-acid ethyl esters) omega-3 acid ethyl esters VASCEPA (icosapent ethyl)	These agents shall only be authorized when the patient has an initial triglyceride level ≥ 500 mg/dL and has had inadequate response or intolerance to trials of BOTH a nicotinic acid and a fibrate, unless otherwise contraindicated.
<b>FIBRIC ACID DERIVATIVES<sup>AP</sup></b>		
fenofibrate 40 mg fenofibrate 54, 150 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)	
<b>MTP INHIBITORS</b>		
	JUXTAPID (lomitapide)*	* Full PA criteria may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.
<b>NIACIN</b>		
niacin NIACOR (niacin) NIASPAN (niacin)	niacin ER	
<b>PCSK-9 INHIBITORS</b>		
	PRALUENT (alirocumab)* REPATHA (evolocumab)*	* Full PA criteria may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>LIPOTROPICS, STATINS<sup>AP</sup></b>		
CATEGORY PA CRITERIA: See below for individual sub-class criteria.		
<b>STATINS</b>		
atorvastatin lovastatin pravastatin rosuvastatin simvastatin <sup>CL*</sup>	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin fluvastatin ER LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)*	Twelve (12) week trials each of two (2) of the preferred statins, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.  *Zocor/simvastatin 80mg tablets will require a clinical PA
<b>STATIN COMBINATIONS</b>		
	ADVICOR (lovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) LIPTRUZET (atorvastatin/ezetimibe) SIMCOR (simvastatin/niacin ER) VYTORIN (simvastatin/ezetimibe)*	Thirty (30) day concurrent trials of the appropriate single agents are required before a non-preferred Statin combination will be authorized.  *Vytorin will be authorized only after an insufficient response to the maximum tolerable dose of atorvastatin or rosuvastatin after twelve (12) weeks, unless one (1) of the exceptions on the PA form is present.  Vytorin 80/10mg tablets will require a clinical PA
<b>MACROLIDES/KETOLIDES</b>		
CATEGORY PA CRITERIA: See below for individual sub-class criteria.		
<b>KETOLIDES</b>		
	KETEK (telithromycin)	Requests for telithromycin will be authorized if there is documentation of the use of any antibiotic within the past twenty-eight (28) days.
<b>MACROLIDES</b>		
azithromycin clarithromycin suspension erythromycin base	BIAXIN (clarithromycin) clarithromycin tablets clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate)	Five (5) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.



**BUREAU FOR MEDICAL SERVICES**  
**WEST VIRGINIA MEDICAID**  
**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**  
 This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE**  
**01/01/2017**  
**Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	
<b>MULTIPLE SCLEROSIS AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> A diagnosis of multiple sclerosis and a thirty (30) day trial of a preferred agent in the corresponding subclass (interferon or non-interferon) will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>INTERFERONS<sup>AP</sup></b>		
AVONEX (interferon beta-1a) <sup>AP</sup> AVONEX PEN (interferon beta-1a) <sup>AP</sup> BETASERON (interferon beta-1b) <sup>AP</sup>	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)	
<b>NON-INTERFERONS</b>		
COPAXONE 20 mg (glatiramer) <sup>AP</sup> GILENYA (fingolimod) <sup>AP*</sup>	AMPYRA (dalfampridine) <sup>CL**</sup> AUBAGIO (teriflunomide) <sup>CL***</sup> COPAXONE 40 mg (glatiramer) <sup>CL****</sup> GLATOPA (glatiramer) TECFIDERA (dimethyl fumarate) <sup>CL*****</sup> <b>ZINBRYTA (daclizumab)</b>	<p><b>In addition to category PA criteria, the following conditions and criteria also apply:</b></p> <p>*Gilenya will be approved after a thirty (30) day trial of a preferred injectable agent.</p> <p>**Ampyra will be authorized if the following criteria are met:</p> <ol style="list-style-type: none"> <li>1. Diagnosis of multiple sclerosis <b>and</b></li> <li>2. No history of seizures <b>and</b></li> <li>3. No evidence of moderate or severe renal impairment <b>and</b></li> <li>4. Initial prescription will be authorized for thirty (30) days only.</li> </ol> <p>***Aubagio will be authorized if the following criteria are met:</p> <ol style="list-style-type: none"> <li>1. Diagnosis of relapsing multiple sclerosis <b>and</b></li> <li>2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy <b>and</b></li> <li>3. Complete blood cell count (CBC) within six (6) months before initiation of therapy <b>and</b></li> <li>4. Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate <b>and</b></li> </ol>



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<p><b>NEUROPATHIC PAIN</b></p> <p><b>CATEGORY PA CRITERIA:</b> A trial of a preferred agent in the corresponding dosage form (oral or topical) will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p>		
capsaicin OTC duloxetine gabapentin capsules, solution <b>lidocaine patch<sup>AP*</sup></b>	CYMBALTA (duloxetine) gabapentin tablets GRALISE (gabapentin)** HORIZANT (gabapentin) IRENKA (duloxetine) <b>LIDODERM (lidocaine)</b> LYRICA CAPSULE (pregabalin)*** LYRICA SOLUTION (pregabalin)*** NEURONTIN (gabapentin) QUTENZA (capsaicin) SAVELLA (milnacipran)**** ZOSTRIX OTC (capsaicin)	5. Patient is from eighteen (18) up to sixty-five (65) years of age <b>and</b> 6. Negative tuberculin skin test before initiation of therapy  ****Copaxone 40mg will only be authorized for documented injection site issues.  *****Tecfidera will be authorized if the following criteria are met: 1. Diagnosis of relapsing multiple sclerosis <b>and</b> 2. Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation <b>and</b> 3. Complete blood count (CBC) annually during therapy.  *lidocaine patches will be authorized for a diagnosis of post-herpetic neuralgia.  **Gralise will be authorized if the following criteria are met: 1. Diagnosis of post herpetic neuralgia <b>and</b> 2. Trial of a tricyclic antidepressant for a least thirty (30) days <b>and</b> 3. Trial of gabapentin immediate release formulation (positive response without adequate duration) <b>and</b> 4. Request is for once daily dosing with 1800 mg maximum daily dosage.  ***Lyrica will be authorized if the following criteria are met: 1. Diagnosis of seizure disorders or neuropathic pain associated with a spinal cord injury <b>or</b> 2. Diagnosis of fibromyalgia, postherpetic neuralgia, or diabetic neuropathy AND a history of a trial of duloxetine at the generally accepted maximum therapeutic dose of 60 mg/day OR gabapentin at a therapeutic dose range between 900 mg and 2,400 mg per day for thirty (30) days within the previous twenty-four (24) month period or an intolerance due to a potential adverse drug-drug interaction, drug-disease interaction, or intolerable side effect (In cases of renal impairment, doses may be adjusted based on the degree of impairment.)



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		****Savella will be authorized for a diagnosis of fibromyalgia or a previous thirty (30) day trial of a drug that infers fibromyalgia: duloxetine, gabapentin, amitriptyline or nortriptyline.
<b>NSAIDS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials of each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>NON-SELECTIVE</b>		
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet MOBIC SUSPENSION (meloxicam) nabumetone naproxen (Rx and OTC) piroxicam sulindac	ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER LODINE (etodolac) <sup>NR</sup> meclofenamate mefenamic acid meloxicam suspension MOBIC TABLET (meloxicam) MOTRIN (ibuprofen) NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) naproxen CR oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac) TIVORBEX (indomethacin) Tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>NSAID/GI PROTECTANT COMBINATIONS</b>		
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)	
<b>COX-II SELECTIVE</b>		
	CELEBREX (celecoxib) celecoxib	COX-II Inhibitor agents will be authorized if the following criteria are met:  Patient has a history or risk of a serious GI complication <b>or</b> Agent is requested for treatment of a chronic condition <b>and</b> 1. Patient is seventy (70) years of age or older, <b>or</b> 2. Patient is currently on anticoagulation therapy.
<b>TOPICAL</b>		
VOLTAREN GEL (diclofenac)* <sup>AP</sup>	diclofenac gel diclofenac solution FLECTOR PATCH (diclofenac)** PENNSAID (diclofenac)	<b>In addition to the Category Criteria:</b> Thirty (30) day trials of each of the preferred oral NSAIDS are required before a topical NSAID gel or solution will be authorized unless one (1) of the exceptions on the PA form is present.  *Voltaren Gel will be authorized if the following criteria are met: 1. Thirty (30) day trials of two (2) of the preferred oral NSAIDs, <b>or</b> . 2. The patient is on anticoagulant therapy <b>or</b> 3. The patient has had a GI bleed or ulcer diagnosed in the last two (2) years. Prior authorizations will be limited to 100 grams per month.  **Flector patches will be authorized for a diagnosis of acute strain, sprain or injury after a five (5) day trial of one (1) of the preferred oral NSAIDs and for a maximum duration of fourteen (14) days unless one (1) of the exceptions on the PA form is present.
<b>OPHTHALMIC ANTIBIOTICS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Three (3) day trials of each of the preferred agents are required before non-preferred agents will be authorized unless one (1) of the exceptions on the PA form is present.		
bacitracin/polymyxin ointment BESIVANCE (besifloxacin) ciprofloxacin* erythromycin** gentamicin MOXEZA (moxifloxacin)* ofloxacin*	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) CILOXAN (ciprofloxacin) GARAMYCIN (gentamicin) gatifloxacin ILOTYCIN (erythromycin)	*A prior authorization is required for the fluoroquinolone agents for patients up to twenty-one (21) years of age unless there has been a trial of a first line treatment option within the past ten (10) days.  **The American Academy of Ophthalmology recommends erythromycin ointment or polymyxin/trimethoprim drops as first



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
polymyxin/trimethoprim** tobramycin VIGAMOX (moxifloxacin)*	levofloxacin NATACYN (natamycin) neomycin/bacitracin/polymyxin neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide drops sulfacetamide ointment TOBEX (tobramycin) ZYMAR (gatifloxacin) ZYMAXID (gatifloxacin)	line treatment options for the treatment of bacterial conjunctivitis.
<b>OPHTHALMIC ANTIBIOTIC/STEROID COMBINATIONS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Three (3) day trials of each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
BLEPHAMIDE (prednisolone/sulfacetamide) neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension	BLEPHAMIDE S.O.P. (prednisolone/ sulfacetamide) MAXITROL ointment (neomycin/polymyxin/ dexamethasone) MAXITROL suspension (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/ hydrocortisone neomycin/polymyxin/hydrocortisone PRED-G (prednisolone/gentamicin) TOBRADEX SUSPENSION (tobramycin/ dexamethasone) ZYLET (loteprednol/tobramycin)	
<b>OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials of each of three (3) of the preferred agents are required before a non-preferred agent will be authorized, unless one (1) of the exceptions on the PA form is present.		
ALAWAY (ketotifen) cromolyn ketotifen olopatadine (Sandoz brand only) ZADITOR OTC (ketotifen) ZYRTEC ITCHY EYE (ketotifen)	ALAMAST (pemirolast) ALOCRI (nedocromil) ALOMIDE (lodoxamide) ALREX (loteprednol) azelastine BEPREVE (bepotastine) CROLOM (cromolyn) ELESTAT (epinastine) EMADINE (emedastine) epinastine	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LASTACAFT (alcaftadine) olopatadine (all labelers except Sandoz) OPTICROM (cromolyn) OPTIVAR (azelastine) <b>PATADAY (olopatadine)</b> PATANOL (olopatadine) PAZEO (olopatadine)	
<b>OPHTHALMICS, ANTI-INFLAMMATORIES- IMMUNOMODULATORS</b>		
<b>CATEGORY PA CRITERIA:</b> See below for individual sub-class criteria.		
	RESTASIS (cyclosporine) <b>XIIDRA (lifitegrast)</b>	<b>The following prior authorization criteria apply to both Restasis and Xiidra:</b> 1.) Patient must be sixteen (16) years of age or greater; <b>AND</b> 2.) Prior Authorization must be requested by an ophthalmologist or optometrist; <b>AND</b> 3.) Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); <b>AND</b> 4.) Patient must have a functioning lacrimal gland; <b>AND</b> 5.) Patient using artificial tears at least four (4) times a day over the last thirty (30) days; <b>AND</b> 6.) Patient must not have an active ocular infection
<b>OPHTHALMICS, ANTI-INFLAMMATORIES<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Five (5) day trials of each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
dexamethasone diclofenac <b>DUREZOL (difluprednate)</b> fluorometholone flurbiprofen ketorolac prednisolone acetate <b>prednisolone sodium phosphate</b>	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac) bromfenac BROMSITE (bromfenac) <sup>NR</sup> FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) FML S.O.P. (fluorometholone) ILEVRO (nepafenac) LOTEMAX DROPS, OINTMENT (loteprednol) LOTEMAX GEL (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
	OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone) PRED MILD (prednisolone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRISENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	
<b>OPHTHALMICS, GLAUCOMA AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> A non-preferred agent will only be authorized if there is an allergy to the preferred agents.		
<b>COMBINATION AGENTS</b>		
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	
<b>BETA BLOCKERS</b>		
BETOPTIC S (betaxolol) carteolol levobunolol metipranolol timolol drops	BETAGAN (levobunolol) betaxolol BETIMOL (timolol) ISTALOL (timolol) OPTIPRANOLOL (metipranolol) timolol gel TIMOPTIC (timolol)	
<b>CARBONIC ANHYDRASE INHIBITORS</b>		
AZOPT (brinzolamide) Dorzolamide	TRUSOPT (dorzolamide)	
<b>PARASYMPATHOMIMETICS</b>		
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine	
<b>PROSTAGLANDIN ANALOGS</b>		
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) RESCULA (unoprostone) travoprost XALATAN (latanoprost) ZIOPTAN (tafluprost)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>SYMPATHOMIMETICS</b>		
brimonidine 0.2%	ALPHAGAN P 0.1% Solution (brimonidine) ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	
<b>OPIATE DEPENDENCE TREATMENTS</b>		
<b>CATEGORY PA CRITERIA:</b> Buprenorphine/naloxone tablets, Bunavail and Zubsolv will only be approved with a documented intolerance of or allergy to Suboxone strips. See below for further criteria.		
naloxone NARCAN NASAL SPRAY (naloxone) SUBOXONE FILM (buprenorphine/naloxone) <sup>CL*</sup> VIVITROL (naltrexone) <sup>CL*</sup>	buprenorphine tablets buprenorphine/naloxone tablets BUNAVAIL (buprenorphine/naloxone) EVZIO (naloxone)* ZUBSOLV (buprenorphine/naloxone)	* Full PA criteria may be found on the <a href="#">PA Criteria</a> page by clicking the hyperlink.
<b>OTIC ANTIBIOTICS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Five (5) day trials of each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) ciprofloxacin COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) neomycin/polymyxin/HC solution/suspension	CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) ofloxacin <b>OTOVEL (ciprofloxacin/fluocinolone)</b>	
<b>PAH AGENTS – ENDOTHELIN RECEPTOR ANTAGONISTS<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
LETAIRIS (ambrisentan) TRACLEER (bosentan)	OPSUMIT (macitentan)	Letairis and Tracleer will be authorized for a diagnosis of pulmonary arterial hypertension (PAH).
<b>PAH AGENTS – GUANYLATE CYCLASE STIMULATOR<sup>CL</sup></b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of a preferred PAH agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
	ADEMPAS (riociguat)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>PAH AGENTS – PDE5s<sup>CL</sup></b>		
<p><b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p> <p>Patients stabilized on non-preferred agents will be grandfathered.</p>		
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)	
<b>PAH AGENTS – PROSTACYCLINS<sup>CL</sup></b>		
<p><b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of a preferred agent, including the preferred generic form of the non-preferred agent, is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p>		
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.
<b>PANCREATIC ENZYMES<sup>AP</sup></b>		
<p><b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p> <p>Non-preferred agents will be authorized for members with cystic fibrosis.</p>		
CREON ZENPEP	PANCREAZE PERTZYE ULTRESA VIOKACE	
<b>PHOSPHATE BINDERS<sup>AP</sup></b>		
<p><b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials of at least two (2) preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.</p>		
calcium acetate MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate)	



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
RENAGEL (sevelamer)	REVELA (sevelamer carbonate) sevelamer carbonate VELPHORO (sucroferric oxyhydroxide)	
<b>PLATELET AGGREGATION INHIBITORS</b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
AGGRENOX (dipyridamole/ASA) BRILINTA (ticagrelor) clopidogrel EFFIENT (prasugrel)	dipyridamole dipyridamole/aspirin DURLAZA ER (aspirin) PERSANTINE (dipyridamole) PLAVIX (clopidogrel) TICLID (ticlopidine) ticlopidine ZONTIVITY (vorapaxar)	
<b>PROGESTINS FOR CACHEXIA</b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
megestrol	MEGACE (megestrol) MEGACE ES (megestrol)	
<b>PROTON PUMP INHIBITORS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Sixty (60) day trials of each of omeprazole (Rx) and pantoprazole at the maximum recommended dose*, inclusive of a concurrent thirty (30) day trial at the maximum dose of an H <sub>2</sub> antagonist are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present		
omeprazole (Rx) pantoprazole PREVACID SOLUTABS (lansoprazole)**	ACIPHEX (rabeprazole) ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) esomeprazole magnesium esomeprazole strontium lansoprazole Rx NEXIUM (esomeprazole) omeprazole/sodium bicarbonate (Rx) PREVACID CAPSULES (lansoprazole) PRILOSEC Rx (omeprazole) PROTONIX (pantoprazole) rabeprazole ZEGERID Rx (omeprazole/sodium bicarbonate)	* Maximum recommended doses of the PPIs and H <sub>2</sub> -receptor antagonists may be located at the BMS Pharmacy PA criteria page titled " <a href="#">Max PPI and H2RA</a> " by clicking on the hyperlink.  **Prior authorization is required for Prevacid Solutabs for members nine (9) years of age or older.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID**

**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
<b>SEDATIVE HYPNOTICS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials of the preferred agents in both categories are required before any non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present. All agents in this class will be limited to fifteen (15) tablets in a thirty (30) day period.		
<b>BENZODIAZEPINES</b>		
temazepam 15, 30 mg	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg triazolam	
<b>OTHERS</b>		
zolpidem 5, 10 mg	AMBIEN (zolpidem) AMBIEN CR (zolpidem) BELSOMRA (suvorexant) chloral hydrate EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)	Strengths of zolpidem that are non-preferred (6.25 and 12.5 mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.  For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.
<b>SKELETAL MUSCLE RELAXANTS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> See below for individual sub-class criteria.		
<b>ACUTE MUSCULOSKELETAL RELAXANT AGENTS</b>		
chlorzoxazone cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol carisoprodol/ASA carisoprodol/ASA/codeine cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine)	Thirty (30) day trials of each of the preferred acute musculoskeletal relaxants are required before a non-preferred acute musculoskeletal agent will be authorized, with the exception of carisoprodol.  Thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin are required before



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID**

**PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
	FLEXERIL (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine/ASA/caffeine orphenadrine ER PARAFON FORTE (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol)	carisoprodol will be authorized.
<b>MUSCULOSKELETAL RELAXANT AGENTS USED FOR SPASTICITY</b>		
baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Thirty (30) day trials of both preferred skeletal muscle relaxants associated with the treatment of spasticity are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.
<b>STEROIDS, TOPICAL</b>		
<b>CATEGORY PA CRITERIA:</b> Five (5) day trials of one (1) form of each preferred unique active ingredient in the corresponding potency group are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>VERY HIGH &amp; HIGH POTENCY</b>		
betamethasone dipropionate cream betamethasone valerate cream clobetasol propionate cream/gel/ointment/solution clobetasol emollient fluocinonide cream, gel, solution fluocinonide/emollient halobetasol propionate triamcinolone acetonide cream, ointment	amcinonide APEXICON (diflorasone diacetate) APEXICON E (diflorasone diacetate) betamethasone dipropionate gel, lotion, ointment betamethasone valerate lotion, ointment, clobetasol lotion, shampoo clobetasol propionate foam CLOBEX (clobetasol propionate) CLODAN (clobetasol propionate) CORMAX (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) DIPROLENE AF (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide ointment halcinonide HALAC (halobetasol propionate) HALOG (halcinonide)	



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	HALONATE (halobetasol propionate) KENALOG (triamcinolone acetonide) LIDEX (fluocinonide) LIDEX-E (fluocinonide) OLUX (clobetasol propionate) OLUX-E (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) <b>SERNIVO SPRAY (betamethasone dipropionate)</b> TEMOVATE (clobetasol propionate) TEMOVATE-E (clobetasol propionate/emollient) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) triamcinolone acetonide lotion ULTRAVATE (halobetasol propionate) ULTRAVATE PAC cream ULTRAVATE X (halobetasol propionate / lactic acid) VANOS (fluocinonide)	
<b>MEDIUM POTENCY</b>		
fluticasone propionate cream, ointment hydrocortisone butyrate ointment, solution hydrocortisone valerate mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	ARISTOCORT (triamcinolone) BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) prednicarbate	



BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE  
01/01/2017  
Version 2017.1r

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)	
<b>LOW POTENCY</b>		
desonide cream, ointment hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHIE FS (fluocinolone acetonide) DESONATE (desonide) desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone) TRIDESILON CREAM (desonide) <sup>NR</sup> VERDESO (desonide)	
<b>STIMULANTS AND RELATED AGENTS</b>		
<b>CATEGORY PA CRITERIA:</b> A PA is required for adults eighteen (18) years of age or older.		
<p>A thirty (30) day trial of one of the preferred agents in each group (amphetamines and non-amphetamines) is required before a non-preferred agent will be authorized. In addition, a thirty (30) day trial of a long-acting preferred agent in each class is required before a non-preferred long-acting stimulant will be authorized.</p> <p>Patients stabilized on non-preferred agents will be grandfathered.</p>		
<b>AMPHETAMINES</b>		
<b>ADZENYS XR ODT (amphetamine)</b> amphetamine salt combination IR dextroamphetamine ER dextroamphetamine IR PROCENTRA solution (dextroamphetamine) VYVANSE (lisdexamfetamine)	<b>ADDERALL (amphetamine salt combination)</b> ADDERALL XR* (amphetamine salt combination) amphetamine salt combination ER DESOXYN (methamphetamine) DEXEDRINE ER (dextroamphetamine) DEXEDRINE IR (dextroamphetamine) dextroamphetamine solution	<b>In addition to the Category Criteria:</b> Thirty (30) day trials of at least three (3) antidepressants are required before amphetamines will be authorized for depression.  *Adderall XR is preferred over its generic equivalents.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.**

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

<b>THERAPEUTIC DRUG CLASS</b>		
<b>PREFERRED AGENTS</b>	<b>NON-PREFERRED AGENTS</b>	<b>PA CRITERIA</b>
	DYANAVEL XR SUSP (amphetamine) EVEKEO (amphetamine) methamphetamine ZENZEDI (dextroamphetamine)	
<b>NON-AMPHETAMINE</b>		
clonidine IR DAYTRANA (methylphenidate) dexmethylphenidate IR FOCALIN XR (dexmethylphenidate) guanfacine ER guanfacine IR METADATE CD (methylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate ER (generic CONCERTA) methylphenidate IR <b>QUILLICHEW ER (methylphenidate)</b> QUILLIVANT XR (methylphenidate) STRATTERA (atomoxetine)*	APTENSIO XR (methylphenidate) armodafinil clonidine ER CONCERTA (methylphenidate) dexmethylphenidate XR FOCALIN IR (dexmethylphenidate) INTUNIV (guanfacine extended-release) KAPVAY (clonidine extended-release)** methylphenidate chewable tablets, solution methylphenidate CD methylphenidate ER methylphenidate LA modafinil*** NUVIGIL (armodafinil) *** PROVIGIL (modafinil) *** RITALIN (methylphenidate) RITALIN LA (methylphenidate)	*Strattera does not required a PA for adults eighteen (18) years of age or older. Strattera will not be authorized for concurrent administration with amphetamines or methylphenidates, except for thirty (30) days or less for tapering purposes. Strattera is limited to a maximum of 100 mg per day.  **Kapvay/clonidine ER will be authorized only after fourteen (14) day trials of at least one (1) preferred product from the amphetamine and non-amphetamine class. These trials must include a fourteen (14) day trial of clonidine IR unless one (1) of the exceptions on the PA form is present. NOTE: In cases of a diagnosis of Tourette's syndrome, tics, autism or disorders included in the autism spectrum, only a fourteen (14) day trial of clonidine (for Kapvay) will be required for approval.  ***Provigil is preferred over its generic equivalent and Nuvigil. These drugs will only be authorized for patients sixteen (16) years of age or older with a diagnosis of narcolepsy.
<b>TETRACYCLINES</b>		
<b>CATEGORY PA CRITERIA:</b> A ten (10) day trial of each of the preferred agents is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
doxycycline hyclate capsules, tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules tetracycline	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate tablet DR doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline) MINOCIN (minocycline) minocycline ER capsules minocycline tablets	*Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request. Demeclocycline will also be authorized for SIADH.



**BUREAU FOR MEDICAL SERVICES  
WEST VIRGINIA MEDICAID  
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE  
01/01/2017  
Version 2017.1r**

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	MONODOX (doxycycline monohydrate) MORGIDOX KIT (doxycycline) ORACEA (doxycycline monohydrate) SOLODYN (minocycline) VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline)	
<b>ULCERATIVE COLITIS AGENTS<sup>AP</sup></b>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day trials of each of the preferred dosage form or chemical entity must be tried before the corresponding non-preferred agent of that dosage form or chemical entity will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>ORAL</b>		
APRISO (mesalamine) balsalazide DELZICOL (mesalamine) PENTASA (mesalamine) 250 mg sulfasalazine	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine) COLAZAL (balsalazide) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) <b>mesalamine</b> PENTASA (mesalamine) 500 mg UCERIS (budesonide)	
<b>RECTAL</b>		
CANASA (mesalamine) mesalamine	DELZICOL DR (mesalamine) mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)	
<b>VASODILATORS, CORONARY</b>		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of each preferred dosage form will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
<b>SUBLINGUAL NITROGLYCERIN</b>		
<b>nitroglycerin spray (generic NITROLINGUAL)</b> nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin)	GONITRO SPRAY POWDER (nitroglycerin) <sup>NR</sup> <b>nitroglycerin spray (generic NITROMIST)</b> <b>NITROLINGUAL SPRAY (nitroglycerin)</b> NITROMIST (nitroglycerin)	